





Presented in memory of

Katharine Martyn


by her many friends  
and colleagues


January 2010

Wing T 2005

96 / #1072

EDXX

















Ioannes Tradescantus Pater, rerum selectarum  
insignem supellectilem in Reconditorio Lambethiano  
prope Londinum, etiamnun visendam primus  
instituit ac locupletavit.


W. Hollar sculp.

Musæum Tradescantianum :  
OR,  
A COLLECTION  
OF  
RARITIES.  
PRESERVED  
At South-Lambeth neer London  
By  
JOHN TRADESCANT.



1  
III

L O N D O N ,  
Printed by John Grismond, and are to be sold by  
Nathanael Brooke at the Angel in Cornhill,  
M. D C. L V I .



# Anagr:

JOANNES TRADESCANTUS.

Arte notus, annis cedas.

Natura, instans es : cedo.

Natura.—Senex.

DIALOGUS.

Nat. *Utrique NOTUS ARTE jam satis polo ;*  
*Utriusque deliciis satur ;*  
*Favore maximi beatiss Principis ;*  
*Amore cultus omnium :*  
*Quid queris ultra, terra quod donet, Senex.*  
*Famam quod ornat insuper ?*  
CEDAS, molesti ne sicut, ANNIS libens ;  
*Linguasq, linquentem domum.*

en. NATURA, ES INSTANS : CEDO. Nec ver-  
*Stator supremi Numinis ;* (ti potest  
Sed nec timeri debet, immensis beans  
*Brevem dolorem gaudiis.*

Anagr:

JOANNES TRADESCANTUS.

Sane vota transcendis.

Fam mare, jam terras scrutatus, & aëra, raras  
Undique fers, vario trāmite, dives opes.

Quicquid habet Natura, Feras, Conchylia, Gemmas  
Et gemmis plumæ splendidioris AVES,  
Nec Plumis Plantas, Plantisve Insecta minoris:  
Prodiga in archivum fundit id omne num.

Quicquid Naturæ profert Ars emula; quicquid  
Ambas mentitus denique Casus, babes.

Functa tenes pressis cimelia singula capsis;

Plura nec est Votis terra datura tuis. ( & al  
VOTA, Tradescante, hæc solers TRANSCENDIS  
Cælicolas SANE nobiliore petis.

# On John Tradescante the elder, deceased.

Anagr:


JOHN TRADESCANTE.

*Had innocent Artes.*

*Can honest Art die?*

*Artes cannot die.*

(but those  
**N**or court, nor shop-crafts were thine ARTES,  
Which *Adam* studied ere he did transgresse:  
The Wonders of the Creatures, and to dress  
The worlds great Garden. Sure the Sun ne're rose  
Nor couch'd, but blush'd to see thy roose enclose  
More dainties than his orb. CAN Death oppress  
Such HONEST ART as this, or make it les?  
No: Fame shall still record it, and expose  
Industrious care to all eternity. (DIE  
The body may, and must: ARTES CANNOT







Iohannes Tradescantus Filius, genij ingenijq;  
paterni verius heres, relictum sibi rerum vndiq;  
congestarum thesaurum, ipse plurimum adauxit  
et in Museo Lambethiano amicis visendim exhibet,

H. Hollar ad vivum delin. et sculp:

To John Tradescant the youn-  
ger, surviving.

*Anagr:*  
**JOHN TRADESCANT.**  
*Cannot hide Arts.*

Heire of thy Fathers goods, and his good parts,  
Which both preservest, & augment'ſt his ſtore,  
Tracing th' ingenuous ſteps he trod before :  
Proceed as thou begin'ſt, and win those hearts,  
With gentle curtſie, which admir'd his Arts.  
Whilſt thou conceal'ſt thine own, & do'ſt deplore  
Thy want, compar'd with his, thou ſhew'ſt them  
Modesty clouds not worth; but hate diverts, (more.  
And ſhames base envy, ARTS he CANNOT  
(HIDE  
That has them. Light through every chink is  
ſpy'd.

Nugas has ego, pefſimus Poëta,  
Plantarum tamen, optimique amici  
Nusquam pefſimus aſtimator, egi.

**GUALTERUS STONEHOUSUS**  
*Theologus ſervus natuſe.*

1940-1941

C L.

ORNATISSIMISQUE VIRIS  
PRÆSIDI & SOCII

*Collegii Medicorum*

Londinensium :

J. T.

Honoris ergo

D. Dq;

10

ANALYSIS OF THE  
PREDICTION

OF THE MARKET

OF THE

PR

OF THE

CH



To the Ingenious  
**R E A D E R.**

For some *reasons* I apprehend my self engag'd to give an *account* of two things, that refer to the ensuing piece : The one, for not *publishing* this Catalogue untill now : The other, of the *mode & manner* thereof, being partly *Latine*, and partly *English*. About three yeares agoe,

goe, ( by the perswasion  
of some friends ) I was re-  
solved to take a Catalogue  
of those Rarities and Cu-  
riosities which my Father  
had scedulously collected,  
and my selfe with conti-  
nued diligence have aug-  
mented, & hitherto preser-  
ved together : They then  
pressed me with that Ar-  
gument, That the enumera-  
tion of these Rarities, ( be-  
ing more for variety than  
any one place known in Eu-  
rope could afford ) would be

an

To the ingenuous Reader.

an honour to our Nation,  
and a benefit to such ingeni-  
ous persons as would become  
further enquirers into the  
various modes of Natures  
admirable workes, and the  
curious Imitators thereof : I  
readily yeilded to the thing  
so urged, and with the as-  
sistance of two worthy  
friends (well acquainted  
with my design,) we then  
began it, and many exami-  
nations of the materialls  
themselves, & their agree-  
ments with severall Au-  
thors

thors compared, a Draugh  
was made, which they  
gave into my hands to  
examine over. Presently  
thereupon my *onely Sonn*  
*dyed*, one of my *Friends* fel  
very sick for about *a yeare*  
and my other *Friend* by  
unhappy *Law-suits* much  
disturbed. Upon these ac  
cidents that *first Draugh*  
lay neglected in *my hand*  
another year. Afterward  
my said Friends call agaii  
upon me, and the design  
of *Printing*, a-new contri  
vea

To the ingeniouſ Reader.

ved, onely the prefixed  
*Pictures* were not ready,  
and I found my kinde  
riend Mr *Hollar* then en-  
gaged for about tenne  
Moneths, for whose hand  
to finish the *Plates*, I was  
eecessarily constrained to  
lay untill this time.

. Now for the *materialls*  
themselves I reduce them  
nto two sorts; one *Nat-  
urall*, of which some are  
ore familiarly known &  
amed amongst us, as di-  
ers sorts of Birds, foure-  
a 2      footed

To the ingenuous Reader.

footed Beasts and Fishes,  
to whom I have given u-  
sual *English* names. Others  
are lesse familiar, and as  
yet unfitted with apt *En-  
glish* termes, as the shell-  
Creatures, Insects, Mine-  
ralls, Outlandish-Fruits,  
and the like, which are  
part of the *Materia Me-  
dica*; (Encroachers upon  
that faculty, may try how  
they can crack such shels.)  
The other sort is *Artifici-  
alls*, as Utensills, House-  
holdstusse, Habits, Instru-  
ment

To the ingenious Reader.

ments of VVarre used by severall Nations, rare curiosities of Art,&c. These are also expressed in *English*, (saving the Coynes, which would vary but little if Translated) for the ready satisfying whomsoever may desire a view thereof. The *Catalogue* of my *Garden* I have also added in the Conclusion (and given the names of the *Plants* both in *Latine* and *English*) that nothing may be wanting which at

*To the ingenious Reader.*

sent comes within view,  
and might bee expected  
from

*Your ready friend*

JOHN TRADESCANT,

---

A

---



## A view of the whole.

1. Birds with their eggs, beaks, feathers, clawes,  
spurres. pag. 1.
2. Fourfooted beasts with some of their hides, hornes,  
and hoofs. 5.
3. Divers sorts of strange Fishes. 8.
4. Shell-creatures, whereof some are called Mollia,  
some Crustacea, others Testacea, of these, are both  
univalvia, and bivalvia. 10.
5. Several sorts of Insects, terrestriall—  
Scoleoptera. Ganelytra.  
aptera.  
Capoda. 14.
6. Mineralls, and those of neare nature with them,  
as Earths, Coralls, Salts, Bitumens, Petrified  
things, choicer Stones, Gemmes. 17.
7. Outlandish Fruits from both the Indies, with  
Seeds, Gummes, Roots, Woods, and divers Ingredi-  
ents Medicinall, and for the Art of Dying. 26.
8. Mechanicks, choice pieces in Carvings, Turn-  
ings, Paintings. 36.
9. Other variety of Rarities. 42.
- 10 Warlike Instruments, European, Indian, &c. 44.
11. Garments, Habits, Vests, Ornaments. 47.
12. Utensils, and Householdstuffe. 52.

13. Nu-

# The Table.

13. Numismata, Coynes antient and Imperiall  
modern, both gold, silver, and cop- } and pag.  
per, Hebrew, Greeke, Roman both } Consular. 556  
14. Medalls, gold, silver, copper, and lead. 66.
- 

## Hortus Tradescantianus.

15. An enumeration of his Plants, Shrubs, and  
Trees both in English and Latine. 73.  
16. A Catalogue of his Benefactors. 179.

---

Museum



# Museum TRADESCANTIANUM.

---

Some kindes of Birds their  
Egges, Beaks, Feathers,  
Clawes, and Sparres.

## 1. EGGES.

Cassawary, or Emeu, *vide Aldrov.*  
p. 542. *Harveum, G.A.* p. 61.

Crocodiles,  
Estridges,

Soland-goose } from Scotland.  
Squeedes }

Divers sorts of Egges from Turkie : one  
given for a Dragons egge.

Easter Egges of the Patriarchs of Ierusalem.

## 2. BEAKS, or HEADS.

Cassawary, or Emeu,

Griffin,

Pellican,

Shoveler, and thirty other severall forrain sorts, not found in any Author.

2 *Museum Tradescantianum.*

Aracari of *Brasil*, his beak four inches long, almost two thick, like a Turkes sword.

Ardeola *Brasil*: his beak three inches long, described, *Margrav: 5.13.*

Guara of *Marahoon Brasil*: his beak like a Poland sword.

Jabira, *Brasil*: beak eleven inches long.

Macucagua, *Brasil*: *Margrav: 5.13.*

Soeo, *Brasil*: *Margrar. 5. 5.*

Tamatia, *Brasil*: *Margrav: 5.10.*

Sixteen severall strange beaks of Birds from the East India's.

3. *FEATHERS.*

Divers curious and beautifully colour-ed feathers of Birds from the West India's.

The breast of a Peacock from the West India's.

A white Plumbe.

Two feathers of the Phœnix tayle.

Tops of the { white and black Herne.  
black and milke-white Herne.

Feathers of divers curious and strange forraign Birds.

Many severall sorts of Hernes and E-  
stridges feathers.

4. *C LAIVES.*

4. C L A W E S.

The claw of the bird Rock; who, as Authors report, is able to trusse an Elephant.

Eagles clawes.

Cock spurrs three inches long.

A legge and claw of the Cassawary or Emeu that dyed at S. James's, Westminster.

Twenty severall sorts of clawes of other strange birds, not found described by Authors.

5. Whole BIRD S.

Kings-fisher from the West India's.

Divers Humming Birds, three sorts whereof are from Virginia.

A black bird with red shoulders and pinions, from Virginia.

Matuitui, the bigness of a Thrush, short neck and legges.

Bitterns two sorts

Batts—

Red and blew Bird,

Penguin, which never flies for want of wings.

Puffin.

Pellican.

Shoveler.

Tropick bird.

Apous.

Fulica.

4 *Museum Tradescantianum.*

Dodar, from the Island *Mauritius*; it  
is not able to flie being so big.

White Partridge.

Spanish Partridge.

Wood-Pecker from the *West India's*.

Birds of Paradise, or Manucodiata;  
whereof divers sorts, some with, some  
without leggs.

Birds of Paradise from the Mount of  
*Moret*, described by *Hacelite*.

A small Grayish bird from the *East India's*.

A white Ousle, or white Black-bird.

The Gorara or Colymbus from *Muscovy*: And another taken upon the  
*Thames* and given by *Elias Ashmole*, Esq.

Many rare and beautifull Indian birds,  
not found described in Authors.

Barnacles, four sorts.

Solon Goose.

Squeede from the Basse in *Scotland*.

The Bustard as big as a Turkey, usually  
taken by Greyhounds on *Newmarket-*  
*heath*.

Divers sorts of Birds-nests of various  
forms.

II.

Fourfooted Beasts, with some Hides,  
Hornes, Hoofs.

L	Ions head and teeth.	Animalia
L	Lynxe's head.	quadrup.
	Beares head, clawes, and skin.	1. digit.
	Wolfes teeth.	vivipera.
	Parde, Leopard's teeth.	1. fera.
	Tygers head.	
	Gulo's legge.	
	Hippopotamus.	2. semifera.
221.	Ai, Ignavus, Sloath, described by Mar.	
	Fox, from Virginia.	
	Munkyes sceleton.	
	Brocks skin.	
	Beavers skin, teeth, testicles.	
	Otters skin, and head.	
	Musk Ratts, from Virginia.	
	Wilde Catt, from Virginia.	
	Cagui Brasil: described by Margrav:	
pag. 227.		
	Cat-a-mountaine.	
	Flying Squirrell.	
	Flinder Mouse, from West India.	
	Rabbits, from Ginny.	
	Land Porcupine.	
	Foot of a Ginny Dogge.	

Martin skin.

Civit-Catts-head and bones given by  
T.W.

Dormouse.

Hares head, with rough horns three  
inches long.

Tatus, *Echinus Brasiliensis*, described  
Digitaria, by Aldrovand: p. 480.  
ovipara.

Armadilla, or Encubartado, two sorts:  
 { Tatu Apara.  
 { Tatu Tatupeba.

Alegator or Crocodile, from Agypt.  
Chamælion.

Gujana's or Lizards, seven sorts.

Lizards, from Ireland.

Snakes, seven or eight sorts.

Rattle Snakes.

Tajuguacu & Tamapara of Tapa-  
nambis.

Cloven and hairy-tongued Lizards, de-  
scribed by Margr: p. 237.

Lanhado.

Lacertus peregrinus Arabicus.

Ibyara, Brasil: Margr: p. 239.

Salamander.

Scincus.

Aspis.

Senembi, Iguana, Margr: p. 236.

Diverse Tortles or Tortouses.

A natural Dragon, above two inches  
long.

Elephants

- Elephants head and tayle.  
Onagrus head with horns.  
Zebra's skin.  
Monoceros horne.  
Caput Equinum petrificatum.  
Half of a Stags horn weighing 50 lb. Quadrup.  
soliped.  
A Roe bucks horn, from *Cape de Verde.* bisulca.  
A Roe bucks head.  
A Deeres horn, from *Greenland.*  
A Bucks head with one horn double branched.  
A Does head and horns, from *Saint James's Parke neer London.*  
An Indian Goats horne.  
Bisons head and horns.  
Bonafus head and horns.  
Antilops horn.  
Elkes hoofes.  
A Cowes tayle, from *Arabia.*  
A Rams head with an upright cloven horn.  
Boares tusks, round.  
A Sowes head, from *Surat.*  
Divers Horns answering to those, by Authors attributed to the Ibex, *Gazella*, *Hippelaphus*, *Tragelaphus*, *Cervus pal-matus*, *Camelopardalis*, &c. 33

## III.

## Some Fishes and their parts.

- Animalia  
equaria  
1. Sanguinea,* p. 159.
- A** Bacatuaja Brasil: *Margr:* p. 161.  
**A** Acajamcu, Brasil: *Margr:* p. 163.  
**A** Araguagua, gladius Brasiliensis, *Marg:*
- The Boneeto.  
 Cunny fishes with horns.  
 The Dolphin.  
**A** Dolphins head.  
**A** Phocæna's head given by T.W.  
**A** Dogge fish.  
**A** Grampus.  
 Guacucuja, Brasil: *Margr:* p. 143.  
 Guaja apara.  
 Hogge fish.  
 Sea Horses { head.  
 { teeth.  
 { pissle.
- Iperuquiba, Brasil: *Margr:* p. 180.  
 King Crabbe.  
 Lump fishes.  
 Parrot fishes.  
 Poison fishes.  
 Paru, Brasil: *Marg:* 144.  
 Remora.  
**A** Sharke.  
 Sword fishes, with severall swords.  
 Swallow

Swallow fish.

Shovell fish.

Sun fish.

Starre fish.

Sturgeon.

Thunny fish.

Sea Wolfe.

Toad fish, and one with prickles.

The tayle of a Catt fish.

The tayle of a Stinge ray.

The case of the spawn of the Stinge-

skin. (ray.

tayle.

jawes.

ribs.

back-bone.

bladder.

eare-bone.

pupilla, as big as a pease?

Roches jaw-bone with flat teeth one  
inch and halfe long.

Guamajaca guara. Bras: Marg: 159.

Guamajacu ape-Bras: Margr: 142.

Guazerua, Bras: Margr: 178. Spec. 2.

Unicornu marinum.

Caput rosmari cum dentibus cubitum  
longis.

Reri, Brasil: Marg: 188.

## IV.

*Aquatilia exsanguinea Testacea.*

- A** Porrhoides parvi, *Aristotelis.*  
**A** Ballani rubri, *Aldrov:*  
 Belliculi varii.  
 Buccinum parvum & striatum, *Rondel.*  
 Buccina parva varia.  
 Buccina striata, *Zoographi.*  
 Cancer Maia plurimis spinis horrens.  
 Cancer Maia. Guaja apara Brasil:  
*Marg: 182.*  
 Cancer macrochelis lutescens fluvia-  
 tilis, *Matth:*  
 Chela cancri flavi undulati.  
 Chela astaci marini ex *Zoograph:* *Aldr.*  
*p. 115.*  
 Chamæ variæ.  
 Chama glycymeris, *Rond:*  
 Chama peloris, *Bellon:*  
 Chamulæ variæ.  
 Conchæ veneris variæ.  
 Conchæ venereæ, *Aldr: p. 557.*  
 Conchylium, *Rond:* *Aldr: p. 346.*  
 Concha imbricata, *Rond:* { minor:  
                                                  lævis.  
 Concha anatifera, *Barnacles.*  
 Concha margaritifera argentea cum  
 lecho margaritarum.

Conchæ

candidæ.

corallinæ Slæves.  
clathratæ Gasperæ.

depressæ.

echinatæ.

fasciatæ.

Conchæ longæ niveæ.

miniatæ

Pictorum.

Rhomboides.

Rugatæ.

spinosaæ.

squamosaæ.

Canatifera.

Concha Persica major.  
minor.

cælatæ.

cylindroides variæ.

depressæ.

echinophoræ, Rond;

muricataæ.

perlatæ.

rugosæ.

umbilicataæ.

Dentalium quinque genera.

Echinometra, Rond:

Echinometra maxima pelagica spinis  
denudata.

Echinus spatagus.

Echini

Echini varii, spinis spoliati

Echini minimi varii.

Entalia, vel Antalia:

Favago, Arist: Aldrov: p.300.

Locusta maxima.

Lolligo major, Aldrovian: 67.

Mentula marina.

Mitulus cum striis.

Mituli fluvii Thameſis. myax Dias:

corocoides.

Murex lacteus.

orthocentros purpurea.

triangularis, & marmoreus.

marmorei varii, spec. 12.

Murices appendiculis asperis, coloribus variis:

Musculus margaritifer lævis.

Nautilus latinorum alter lævigatus &

Nauptiæ.

Nautili primum, genus Arist:

Nautili testa rudi cortice & variegato.

Nautilus variis imaginibus extimo cortice nitide insculptus ex India.

Nerites Bellonii.

Nerites varia genera.

Ovum marinum.

Ostreæ oblongæ Virginianæ.

Ostreæ arborum vamis annexæ.

Pagurus foemina Venetorum.

Patellæ animalis Lepas, Rond:

Patella cypria striata.

Patellæ feræ, aures marinæ vel otia,

Aldr: 551.

aculeata.

Pinna } magna.

parva.

Pinnæ byssus.

Penicillus marinus.

Pectines } Seburnei.  
varii.

Pecten magnus depresso corallinus.

Pectunculi.

Pholas.

Polypus.

Purpuræ, species 7.

Purpura pentedactylis, Aldr: 286.

Rupes elegans artificialis testarum.

mas.

Solen } fœmina unicolor glabra, onyx

Plin:

Spondylus.

carborescentes.

scartilagineæ.

Stellæ marinæ } pectinatæ.

rubræ.

testaceæ.

Strombus magnus.

Tellinæ variæ, Aldr: 519.

Tridachnes, Aldr: 447.

Trochus

*Trochus* *magnus.*

*Trochus* *alter pyramidalis*, *Aldrov*  
p. 363.

*Trochus Niloticus.*

*Tubuli marini vel siphunculi marini.*

*Turbines albi oblongi varii, & læve*  
*varii.*

*Turbines tuberosi parvi varii,* *Aldrov*  
p. 353.

*Turben Angulosus.*

*Turben* *magnus.*

*Turben* *auritus.*

*Turben* *tuberosus.*

*Turben* *tuberculosus.*

*angulosi.*

*muricati.*

*Turbines* *pentedactyli.*

*tesserodaëtyli.*

*ventricosi.*

*Turbinuli in spangiis degentes,* *Aldro:*

p. 363.

*Umbilicus, Rond:*

*Urtica parva cinerea, Rond:*

## V.

*Insecta & Serpentes.*

**A** *Læ scarlettæ.*

*Aranea Virginiana.*

*Araneæ dens.*

*Buceros.*

Bruchus viridis.

Bucroides.

Cicadæ variæ.

Cantharides.

Catena ex muscis Hispanicis.

Cerambyx.

Enena, Brasil: 2d. 3d. Margr: 247.

Erioceros hyacinthinus.

Eruçæ nodosæ.

Guaruca eremembi Brasil: sisser, Mar:

255.

Grillo talpa tardi-gradus.

Grillus ex fusco nigricans.

Hippocampus.

Hydrocanthus major Anglicus.

Jatatinga, curuculum, Scalig: H.A. 16.

Marg: 255.

Labellæ Salbæ.  
Flavæ.

Locusta.

Locustæ Hispanicæ.

Locustæ perigrinæ.

Mololonthic. viridulus.

Muscatella armata Virginiana.

Nasicornis Virginianus.

Nasiconium species variæ pulcherri-

x.

Papiliones variæ.

Oestrus.

Phalæna cum pennâ ex capite.

Papilio-

Papilionum plurima genera.

Paipai Guaca, Brasil: *Marg:* 255.

Phalangium.

Phalangii Virginiani caput.

Pediculi cœti.

Platyceros.

Proscarobæus, cornu reflexo.

Quici miri. Insectum parallelogramma, *Aldrov:* 254.

Quici, Brasil: cornutus, 20 interdilis, *Marg:* 254.

Scarabæi Virginiani cornua.

Scarabæus naso instar rostri nava cornuto.

Scarabæus instar bufonis Virginianus

Scarabæorum varia genera.

domestici.

Scarabæi varii } Orientales.

Indici }

Occidentales

Scolopendra, Brasil: *Marg:* 255. *Mu-*  
*l. 2. c. 8.*

Scorpio terrestris.

Stellæ marinæ variæ.

Tipula.

Tambeiva Brasil: insectum, avellar mole: *Marg:* 255.

• Ammodytes

Ammodytes.  
Amphisbæna.  
Cæcilia.  
Cenchrus Bellonii.  
Dipsas, Grevini.  
Dryinus.  
Seps.  
*Serpens marinus.* Aldrov:  
*Anguis Æsculapii.* Ova, skeleton?

---

VI.

Foſſilia.

FRuſtulum mineræ auri.  
Chrysammonites { Dendrites.  
Ammonis cornu  
effigie.  
Ramentum mineræ argenti.  
Helcysma.  
Argyroætenites varii { majores.  
minores.  
Conchites argentei obscuri coloris.  
Æris { minera.  
Pompholyx.  
Lepis.  
Diphryges.  
Viride æris.  
Santerna.

i. Metalli-  
ca.

C

Pyrites

*Pyrites ærosus* } *tessellatus.*  
*globosus* } *umbilicatus.*  
{} *pyriformis.*  
{} *carycoides.*

*Pyrites* } *Sturbinatus.*  
{} *angulosus.*  
{} *conchytæ.*

*Cornu Ammonis* } *helicoides.*  
{} *hoplites.*

*Cornu Ammonis striatum armatura  
æneâ lucente.*

*Belemnites hoplites.*

*Orichalcum.*

*Stanni minera.*

*Stannum Anglicum cum fluoribus va-  
riis.*

*Biacca Alexandrina.*

*Stelechites cum minerâ ferri.*

*Fluores varii cum minerâ ferri.*

*Cochleæ & conchæ sideroites ex agro*

*Cantabrigiensi.*

*Chamites & turbinites siderites.*

*Siderocarites.*

*Sideromycetes.*

*Lapides ferruginei varii.*

*Stomoma, squama chalybis.*

*Ferrugo.*

*Plumbi vena variis mixta.*

*Glandes plumbariæ diversiformes.*

*Chamites molybdoites.*

Stibium fossile.

Cerussa cinerea.

Lithargyrii species } Chrysitis.  
                          } Argyritis.  
                          } molybditis.

Plumbum nigrum Virginianum.

Bismuthum.

Cadmia fossilis, lapis calamnaris.

Galena fossilis frugifera.

Cadmiæ species } placites.  
                          } rhotites.  
quatuor— } onychites.  
                          } ostracites.

Metallies  
fæditia.

Pompholyx.

Spodios.

Tutia Alexandrina.

Botrytes.

Alcyonia varia ponderosa instar spon-

giæ concreta.

Adarcion aluminis instar.

Porus Roseus I. Alcionium primum.

Marga saxatilis.

Marga cum variis silicum differentiis.

Stenomarga, Agaricus mineralis, lac  
lunæ, ex doño T. W.

Cimolia.

Chia.

Terræ Lemnia, sigillata.

Parætonii.

Brunnus Anglicus.

Syriaca.

Creta

Selinusia.

Smeatis Anglicā.

Sinopica.

Rubrica

Fabrilis.

Anglica.

Laminata.

Lutea.

Ochra

Fossilis.

Anglica.

Plumbaria factitia.

Rusma Turcarum.

Stalagmata varia ex aquis Eboracensis concreta.

Lapis ex earundum aquarum stillicidio instar racemi uvarum concretus.

Candidum.

Coralium

Nigrum.

Rubrum.

Coralii frutices,

Brassicæ.

alii instar—

Crassulæ.

musci clavicolati, &amp;c.

Coraliorū differentiæ quatuordecim.

Stelechites coraloides variū.

Coralia hirsuta muscosa.

Coralium erythroleucon.

Coraliū rubrum cum antipathe.

Pseudocoralliū rubrū fungosum cum astris variis.

Pseudo-

3. succi  
concreta  
macri.

Pseudocoralium rubrum calamites.

Millepora Imperati. *Worm:* 235.

Sal fossilis Anglicus }  
                        { albus.  
                        { ruber.

Stelechites salis.

Spumæ salis variæ.

Lapis salinus.

Sal gemma fossilis.

Sal e ramis arborum ex India.

Alumen nativum }  
                        { Cantabrigiense.  
                        { Eboracense.  
                        { Cantianum.

Aluminis rupei figuræ variæ.

Chalcanthi species }  
                        { Saxonicum.  
                        { Bohemicum.  
                        { Bagneum.  
                        { Cyprium.  
                        { Metallicum.

Lapis candidus Venetorum ex quo Bo-  
rax fit.

Auripigmentum.

Sandaracha.

Arsenicum.

Sulphur nativum.

Bitumen Dunelmense.

Carbo fossilis, ex quo varia artificia-  
lia.

Carbones ex Ætnâ.

4. Succi  
concreti  
pingues.

*Gagates.**Mummia.**Succinorum copia.**Lapides metallicos testulatos ex agro**Richmondiensi effosso, dedit D<sup>o</sup> Man.  
S. Lapides Selectiores.**Astragolites.**Buccinites.**Cochlites fasciatus* { *convexus.*  
{ *concavus.**Ætitū differentiæ variæ cum callimis.**Gæodites.**Hæmatitum differentiæ variæ.**Cerauniorum varietas.**Chelonites.**Brontiæ, ombriæ, odontites.**Glossopetræ magnæ* { *denticularæ.*  
{ *non denticulatae.**Belemnites variæ.**Osteocolli variæ.**Umbilicus marinus Eboracensis.**Selenites, lapis specularis.**Encephalites magnus.**Lithophthalmites.**Muricites.**Chamæpectinites.**Buccinites.**Conchites.**Turbinites.**Rhombites.**Ophy*

Ophytes varii ex Whitby in agro Ebo-  
racensi.

Spongites.

Echinatum differentiæ decem.

Marmoris differentiæ variæ.

Marmor Eboracense maculosum.

Magnetes varii.

Lapis minii, vel cinnabaris fossilis.

{ nephriticus.

Lapis { hystericus.

{ Hybernicus.

{ hominis.

{ è Vesicâ { felleâ,

Lapides {

{ è capite { assellorum.  
{ carpionum;

Coagulum Ætnæ.

Gypsum.

Pumex.

Talcum.

Smyris.

Ebenum fossile.

Crystallini fluores varii.

Lapilli transparentes Virginiani.

Cucurbites.

Dactylites.

Pyrites & fructus varii.

6. Matrie  
petrificatae.

Maxillæ cum dentibus.

Dentes varii petrificati.

Ilex petrificata, ex lacu Hybernicō

Lough-neath, ex dono D. Wybard.

Quercus cum ejusdem foliis.

Ulmus.

Sambucus cum ejus medullâ.

Fraxinus.

Muscus.

Guttulæ Knasburgenses.

Costa humana cum carne.

Ossa varia.

Caput simiæ.

Ungula equi.

Ovaria halecis.

Cancer totus.

patella cum pisce.

Cochleæ.

Siderites varii.

Ligna varia in ferrum versa.

Guttæ fontis vitrificatæ.

7. *Gemmae.*

Adamantes Indici ex Decan.

Pseudoadamas Anglicus.

Carbunculi, pyropi, acriores.

Rubini, spinelli ex rupé veteri.

Rubicelli.

Granati { Orientales ex Cambaia.  
                  Occidentales.

{ Bohemici.

Hiacynthi

Hyacinthi coccei & crocei ex oriente.

Amethystus violaceus orientalis.

Saphirus albus.

Saphirus cæruleus.

Opalorum differentiæ quædam ex In-

Smaragdi Scythici.

(diâ.

Smaragdi Britannici.

Prasii.

Berilli crystallini.

Sardii, corneoli varii.

Onychites.

Achates Indici.

Jaspides virides & purpurei.

Heliotropii varii.

Chrysolithi, topasii Arabici.

Crystalli varii Anglici.

Calcedonius, onyx candida.

Malachites, species Jaspidis.

Oculus cati vel Beli.

Turcosa, Turcois.

Astroites, stellaris Lapis.

Asteria vera ex agro Staffordiensi.

Alectorius.

Chelidonius.

Garatronius, crapaudina.

Lapis manati vel tuberonum.

Indicæ.

Margaritæ Anglicæ.

Margaritæ Scoticæ.

Virginianæ.

Lapis

Armenius.  
 Lapis S Lazuli.  
S limacis.

Lapis Bezoar S orientalis.  
S occidentalis.

## VII.

*Fructus Exotici.*

**A** Cajuiba, acajuti & itimabova,  
*Marg: 99.*

Ambare, juglandis mole.

Ahovay Thereti, nolæ Cannibalium.

Anacock, phaseoli genus.

Ananas, malo citrio minor.

Anacardia varia.

Avellanæ Indicæ, juglandis mole.

Apeiba, Brasil: *Marg: 124.*

Avellanæ purgatrices, Ben magnum,

S Ape.

Aratica S Aponhe, *Margr: 93.*  
S Pana.

Avacari, myrto similis.

Almendras de Peru. *Worm: 18.*

Aurantium nigrum.

Balanus myrepstica.

Banana, musa Alpini.

Bangue semen cannabino minus.

Betele.

Billingbing.

Boramez, agni Scythici pellis portiuncula. S Brindones,

- Brindones, intus rubentes instar sanguinis.
- Buna, grana acida continet.
- Bon, fructus.
- Cachos.
- Carambola, siliquæ quadrangulares & pentagonæ.
- Capsicum.
- Cardamoma { majora.  
                { minoræ.
- Cajus, instar ovi anserini.
- Cazavi ex herba yuccâ.
- Cacão, potus ejus Chocolate dicitur.
- Cevadella, hordeolum.
- Cocculæ orientales instar racemi coryborum.
- Cajete vel Cochine. Brasil. Marg: 123.
- Caraguata, Brasil: Piso.
- Cereiba, Brasil: Marg: 128.
- Nucum Cocorum varia genera.
- Coco nux ex Maldiviâ, Anger: Clutius speciatim nominat. pag. 8.
- Cocci varia genera.
- Copaiba Brasil: Margr: 130.
- Castanea, cornu caprini specie.
- Castaneæ equinæ testa.
- Cucurbitæ variæ.
- Cucurbita, calabassæ,  
                cedri.
- Coni { Abietis.  
                { terebinthi.
- Cubibæ.

Cubebæ.

Curcas candidus, avellanae mole,

Dactylus ebrius.

Daturæ semina.

Durionis fructus echinatus.

Duriaon cum Buanâ, *Clus: 65.*

Fabæ rubræ, Brasil.

Fabæ purgatrices.

Faufel, Areca.

Frudiculato cono.

Piceæ.

Suberis.

Fructus	Ilicis tri-	bacciferæ,				
			plicis	coccigeræ.		
					glandiferæ. vel	galli- Pummukoner.

Cedri &amp; Laricis.

platani Virginianæ.

gummi-arboris Virginianæ.

squamosi Indici varii.

dysentericus.

varii, animalium diversorum speciem  
ferentes.

Guanabanus.

Guaganas semina.

Guiraparibu, Brasil: *Marg: 119.*Guitiiba. *Marg: 114.*

Ibacurapari.

Jangomus, sorbo similis.

Jambolones, olivæ similis.

Jaca

Jaca ex Goâ instar cucurbitæ, ex truncō prodit.

Juglans nigra Virginiana.

Icicaribu, Brasil: Marg: 98.

Janipaba, Bras: Marg: 92.

Ibati, Brasil. Marg: 20.

Jamacuru, Brasil. Piso 100.

Jetica, Marg: p. 16.

Jaborandi, Pis: 97.

Lancium racemi.

Lobus niger membranosus.

Lobus ex Windondaw Virginiam.

Lobus echinoides ex Brasiliam.

Lobus echinoides. Bonduch. mates Indorum.

Malacactos.

Mangostans, Jambos, mole aurantii.

Mangas, ovo anserino major.

Mehen bethene cum capillis.

Mehen bethene sine capillis.

Mungo nigrum.

Moringa fructus pedalis.

Mandubiguacu, nux purgatrix.

Mucuna, Bras: Marg: 19.

Meyney vel nequamel.

Mecaxuchitl, piperis oblongi instar miscetur cocco.

{ citrinæ.

Myrobalani { emblicæ.

{ Indicæ, & chepulæ.

Nux

30 *Museum Tradescantianum.*

- Nux  $\left\{ \begin{array}{l} \text{moschata cum mace, Indica.} \\ \text{Pistachia, vomica.} \end{array} \right.$   
 Nimbo instar olivæ subluter.  
 Palmeto sylvestris fructus.  
 Phaseoli varii.  
 Phaseolus arborescens.  
 Phaseolus Indicus.  
 Pochicria Virginiana.

*Radices.*

- Caopeba, Brasil:  
 Chinæ.  
 Contrayarvæ.  
 Dariagen.  
 Radices  $\left\{ \begin{array}{l} \text{Jalapiæ.} \\ \text{Labrundinæ.} \\ \text{Matalistæ.} \\ \text{Mechoacan.} \\ \text{Sarsaparill.} \\ \text{Tagion Guineæ.} \end{array} \right.$

*Miscelanea.*

- Folia Thee.  
 Fungus  $\left\{ \begin{array}{l} \text{sambucinus.} \\ \text{rosæ.} \end{array} \right.$   
 Boletus cervi.  
 Pila stagnalis.  
 Orabanche.  
 Coni  $\left\{ \begin{array}{l} \text{cupressi.} \\ \text{pini.} \end{array} \right.$

*Ligna*

*Ligna.*

- Agallochum.  
Aspalathum gummosum.  
Caoba, i. e. saccharinum.  
Cocogola.  
Colubrinum.  
Cinnamomi lignum.  
Bdellium.  
Corylinum tortilatum.  
Cupressinum.  
Fætidum.  
Guajacum.  
Hebenum.  
Levissimum è Siam:  
Nephriticum.  
Rhodium.  
Santalimum.  
Strumosa ligna varia.

*Semina.*

- Ammeos.  
Amomi.  
Bombacis.  
Cardamomi utriusque.  
Baccæ } hederæ.  
} juniperi.  
lauri.  
paridis.  
myrti.

Car-

Carthami.

Cataputiæ. utriusque.

Colocynthidos.

Citrulli.

Cucumenis utriusque.

Cucurbitæ.

Cumini.

Dauci utriusque.

Fœnugræci.

Gnidia.

Grana } Paradyfi.

} Kermes.

Harmel.

Hyoscyami.

Hyperici.

Laureolæ.

Lentes.

Lithospermi.

Lini.

Lolii.

Loti.

Lupini:

Magistrantiæ,

Mezerei.

Miliæ.

Napi.

Panici.

Pæoniæ.

Psyllii.

Rapi.

Santonici.

Sesami.

Seseleos.

Sumach.

Staphydis agriæ.

Thlaspios.

Gummata.

Aloes.

Ammoniacum.

Anime.

Arabicum.

Affa foetida.

Bdellium.

Benzoinum.

Bezetta rubra.

Cancamum.

Caranna.

Cate.

Cerasorum.

Coopal.

Colophonia.

Elemi.

Euphorbium.

Galbanum.

Gamboja.

Guayaceni.

Hederæ.

Juniperi.

Labdanum.

Lacca.  
Manna.  
Mastiche.  
Maftlach Turcarum.  
Mummia.  
Myrrha.  
Olibanum.  
Opopanax.  
Opium.  
Sagapenum.  
Sarcocolla.  
Scammonium.  
Styrax.  
Tacamahaca.  
Tragacanthum.

## Materialls of Dyers and Painters.

### 1. For Blacks.

**G**alls.  
**G**Copporas.  
Black of } Seacoale.  
Charcoale.  
Fuligo.

Allerbarke.  
Symach.  
Malicorium, &c.

2. For Yellowes.

Old Fustick.

Weede Woodwaxen, or Greening-  
weed.

Pinke.

Masticutt.

Woould.

Orpement.

3. For Reds.

Alchanet.

Madder.

Brasil.

Redwood.

Cochinell.

Campeigiana.

Campeichia.

Brasiletto:

Orchall.

Arnotto.

Flores Carthami.

Minium.

Cinnabrium.

4. For Blewes.

Lapis Lazuli.

Ultramarin.

Virditer.

Woade.

Nele.

Indico, divers sorts.

Logwood.

5. For White.

Cerussa.

Album.

VII.

*Mechanick artificiall Works in Carvings, Turnings, Sowings and Paintings.*

SEverall Heads cut on Agates.

Divers Figures cut on Shells.

Variety of Figures cut in crystalls.

Divers sorts of Doublets.

Divers sorts of Flyes & naturall.

Ambers, with Spiders & naturall.

A Bird sitting on a pearch naturall.

Comelian-cup. Amber-cup, and Amber bottle, turned. A Crystall bottle.

Several things rarely cut in Corall.

Divers sorts of Corall, one with Moss in it.

Divers things cut on Plum-stones.

Heliotropian spoone.

Many cups of Agates.

Cornelian thum-cases of the Turks.

Splene-

Several curious paintings in little forms,  
very antient.

Splene-stones, divers sorts.

The Indian lip-stone which they wear  
the in lip.

A little Box with the 12 Apostles in it.

A silver Box with 6 divisions.

Turkish Alkaron in a silver box.

The Roman measure called *Ligula*.

Divers sorts of Purses of Outlandish  
work in gold and silver.

Jupiter, &c and Mercury wrought in  
Tent-stitch.

Divers sorts of Straw-worke wrought  
with a needle.

Cloath spun of the downe of yellow  
feathers.

Chirurgeons Instruments framed upon  
the points of needles.

Halfe a Hasle-nut with 70 pieces of  
housholdstuffe in it.

A Cherry-stone holding 10 dozen of  
Tortois-shell-combs, made by *Edward  
Gibbons*.

A nest of 52 wooden-cups turned with-  
in each other as thin as paper.

A Hollow cut in wood, that will fit a  
round, square and oval figure.

The story of the Prodigall son carved in wood : Antient.

*Persius* and *Andromeda* carved in an Ivory table.

Figures and stories neatly carved upon Plum-stones, Apricock-stones, Cherry-stones, Peach-stones, &c.

A Cherry-stone, upon one side S. Geo: and the Dragon, perfectly cut : and on the other side 88 Emperours faces.

The martyrdome of the Bishop of *Amphipolis* carved in Alabaster.

Several Landskips, Beasts, Cities, Rocks, naturally wrought in stones.

Landskips

Stories—  
Trees—

Figures—

cut in Paper by some of  
the Emperours.

Divers rare and antient pieces carved in Ivory.

Two figures carved in stone by *Hans Holben*.

A large piece of Fortification cut in wood.

A Deske of one entire piece of wood rarely carved.

A modall of the Tower of *Strasburg* carved in wood.

A rare piece of hollow-carved worke in fashion of a Book.

A Cherry-stone with a dozen of wooden-spoons in it.

A dozen of silver Spoons in a little box.

Flea chains of silvcs and gold with 300 links a piecc and yet but an inch long.

A dozen of little Sheers.

Little chains of silver, gold, and straws, small as haire.

Divers curiosities of Amber.

turned worke in Ivory.

A little wheele and spindle turned in Amber.

A cup turned in a pepper-corne and garnished with Ivory.

A set of Chesse-men in a pepper-corn turned in Ivory.

Divers sorts of Ivory-balls turned one within another, some 6, some 12 folds; very excellent work.

Rolls of the Barkes of Trees wherein are graved the China, Arabian, and Eastern Languages.

{Gold.

Plates engraved in Silver.

{Copper.

Divers medalls cast of in severall mettals.

A Copper-plate enameled with the storiy of the Salutation.

- Gold:      Silver:      Copper:      Brasse.
- Divers rich enamell'd plates of — — —
  - An ancient anointing Box of guilt  
brasse.
  - Effigies of divers Personages of honor  
note and quality.
  - Severall figures, heads, and effigies cast  
of in plaister of *Paris*.
  - Several sorts of imbold Wax-works cu-  
rious.
  - Phaeton* with his Chariot and Horses  
excellcnt wax-works.
  - Divers figures moulded and painted.
  - A glasse-hatt-band spun in fine threds
  - A glasse-basket full of severall fruits.
  - Back-work wrought upon glassen.
  - Variety of glasse in many curious  
forms.
  - Backside work acht upon crystall.
  - Two severall modells of the Sepulcher  
at *Jerusalem*, one in wood: the other in  
plaister.
  - Mosaick work of divers sorts.
  - Several draughts and pieces of paint-  
ing of sundry excellent Masters
  - A small Landskip drawn by Sir *Nath.  
Bacon.*

The figure of a Man singing, and a Woman playing on the Lute, in 4° paper; The shadow of the worke being David's Psalmes in Dutch.

Prince of Orange's picture shadowed with writing in the afore-recited manner.

Old Parre's picture.

A Booke of Mr. TRADESCANT'S choicest Flowers and Plants, exquisitely limned in vellum, by Mr. Alex: Marshall.

A Book of all the Stories in the glasse-windowes of Sancta Sophia, lim'd in vellum by a Jew.

Divers sorts of pictures wrought in feathers.

A little Box made of straw and silke.

Indian books made of Phillyrea.

Grasses.

Indian paper made of Straw.

Rinds of trees.

With large margents full of figures and divers colours,

Babylonian combs.

Severall Indian combs, one of reeds.

## VIII.

*Variety of Rarities.*

**I**ndian morris-bells of shells and fruits.

**I**ndian musicall Instruments.

**I**ndian Idol made of Feathers, in shape  
of a Dog.

Indian fiddle.

Spaniard Timbrell.

Instrument which the Indians sound at  
Sun-rising.

*Portugall* musicall Instrument like a  
hoop, with divers brasse plates.

A choice piece of perspective in a black  
Ivory case.

A Canow & Picture of an Indian with  
his Bow and Dart, taken 10 leagues at  
Sea. *An<sup>o</sup>.* 176.

A bundle of Tobacco, *Amazonian.*

Birds nests from *China.*

Indian Conjurers rattle, wherewith he  
calls up Spirits.

Indian Pa God.

The Idol *Osiris.* *Anubis*, the Sheep,  
the Beetle, the Dog, which the *Egyptians*  
worshipped. Mr. *Sandys.*

A Gamaha with *Jesus*, *Joseph* and *Mary*,  
in Italian capitall letters.

A Gamaha with a Fish in it.

A Gamaha of a Deaths-head.

A Circumcision-Knife of stone, and  
the instrument to take up the preputium  
of silver.

Jewes Philacteries with the Comman-  
ments, writ in Hebrew.

A piece of Stone of Saint John Baptists  
Tombe.

A piece of the Stone of Sarrige-Castle  
where Hellen of Greece was born.

A piece of the Stone of the Oracle of  
Apollo.

A piece of the Stone of Diana's Tomb.

An Orange gathered from a Tree that  
grew over Zebulon's Tombe.

Severall sorts of Magnifying glasses :  
Triangular, Prismes, Cylinders.

Antient Iron-Money in crosse-plates,  
like Anchors, preserved in Pontefract-  
Castle, Yorke-shire.

Severall Assayes of Money.

A Brazen-ball to warme the Nunnes  
hands.

A piece of one of the Logges of Bag-  
mere in Cheshire, neer Breereton.

A Trunion of Capt: Drake's Ship.

Divers sorts of Indian Jakes.

Severall sorts of Cymballs.

Cassava Bread 2 sorts.

The Padre Guardians stasse of Jerusa-  
lem,

lem made of a branch of one of the 7  
Palme-Trees of Elam, which he gave to  
Sir Tho: Roe.

A glasse-horne for anointing Kings.

2 Roman Urnes.

A Roman sacrificing-earthen-Cup, with  
the word *CAMPANION* printed in  
the bottome.

Tarriers of Wood made like our Ty  
ring-Irons.

Tarriers of Wood like Rolles to se  
Table-dishes on.

Indian Tresles to hang a payr of Skale  
on, of black varnished wood.

The plyable Mazer wood, being war  
med in water will work to any form.

Blood that rained in the Isle of Wight  
attested by Sir Jo: Oglander.

A Hand of Jet usually given to Chil  
dren, in Turkey, to preserve them from  
Witchcraft.

## IX.

### *Warlike Instruments.*

Poleaxe with a Pistoll.

Poleaxe and Pistoll with a Mill and  
Crosse-bow in it for either Arrow or  
Bullet.

German Poleaxes.

Count Mansfield's Poleaxe, called Puscon.

Indian square-pointed Dagger, broad and flat.

Japan Sword and Dagger.

Moore's Daggers, 2 sorts.

Severall sorts of Daggers.

Javelin-  
{ Japan.  
Turkish.

Indian Lance.

Molocco Sword.

Targets from the  
East India of—  
Reeds.  
Leather.  
Skins, and  
Crocodill-skin.

Bowes 12.  
Arrowes 20.  
Quivers 12.  
Darts 60.  
From India, China, Ca-  
nada, Virginia, Ginny,  
Turkey, Persia.

Drums two sorts; 1. from Ginny of a  
whole piece of wood; 2d. from India of  
copper.

Targets several  
sorts, viz:  
Knights Templers.  
Britaine, Isidore the  
Roman. (Monk.  
Japan.  
Græcian.  
Roguza.

Indian drumming Target.

Ginny Drum made of one piece.

China

*China Armour.*

Knife wherewith Hudson was killed in  
the North-West passage, or Hudson's Bay

Knives from Ginny, 3 sorts.

Knives from Muscovy.

A *Damascus* knife perfum'd in the cast-  
ing.

Roman Darts headed with copper  
taken neer Pontefract, Yorke sh.

Moddels for a Cannon, with the appur-  
tenances.

Tamahacks, 6 sorts.

Poisoned Creeses,  $\frac{1}{2}$  waved.  
or Daggers,  $\frac{1}{2}$  plain.

Iron Manacle taken in the Spanish  
Fleet. —88.

Sithe— $\frac{1}{2}$

Symiter  $\frac{1}{2}$  from Turkey.

Steletto  $\frac{1}{2}$

Souldiers Coat of Armour.

Skaling ladders 6 sorts of wood and  
ropes, and iron pullies; 2 with joints of  
wood closed in a staffe.

A Sempitan or Trunck wherewith they  
execute men to death with poysoned Ar-  
rowes.

*Garments,*

X.

*Garments, Vestures, Habits,  
Ornaments.*

A N Arabian vest.

A A Russian vest.

A Portugall habit.

A Turkish vest.

A Brackmans vest of Leaves of Aloes.

A Virginian habit of Beares-skin.

A Babylonian vest.

A Greinland-habit.

{ Feathers.

A Match-coat { Virginia of { Deer-skin.  
from —————— } Canada.

Match-coat from Greenland of the In-  
trails of Fishes.

Pohatan, King of Virginia's habit all  
embroidered with shells, or Roanoke.

A Match-coat of Virginia made of Ra-  
coun-skins.

{ Indian.

Crownes { Amazonian.

Swabes suit.

{ Stirrups.

Henry the 8 his { Haukes-hoods.  
} Gloves.

Barbary

Barbary Spurres pointed sharp like Bodkin.

K. great Porter's Boots.

Little Jeffreys Boots.

Little Jeffreys Masking-suit.

Boots from Lapland.

Greenland.

Muscovy.

Babylonian.

Russian.

Persian.

Shooes to walk on Snow without sink  
ing.

Spurres from Turkey.

Moore's Cap.

Chappenes, 20 sorts.

Tartarian Whips.

Scourges of Sinewes.

Disciplines of wire, quilted cotton.

A Fryers Discipline with silver rōwel.

A lacrymaticall Urne for Teares, o  
glasse.

Girdles of the length of the Sepulchre

Nunnes penitentiall Girdles of Haire.

filke.

pearle.

Cordilier Girdles of straw.

cotton, curiou

work.

Jewe

Jewes girdle and purse.

Girdle, Indian.

Borâchios for wine.

Hat-bands of Porcupine quills beaten flat and dyde.

A payre of Scotch gloves wrapt up like a ball.

A linnen Shirt woven without either seam or stich, 2 yards long.

A vestall Nunner head-dresse, of tiffany curiously crisped.

Duke of Muscovy's vest wrought with gold upon the breast and armes.

Case of Indian bands and caps made of the rinds of trees.

Shirts and smocks, Indian.

Turkish hash.

Brabant Womans cap and cuffs.

Polander Priests cap.

Handkerchiffs of severall sorts of excellent needle-work.

Edward the Confessors knit gloves.

Anne of Bullens Night-vayle embroidered with silver.

Anne of Bullens silke knit-gloves.

Henry 8. hawking-glove, hawks-hood, dogs-coller.

Severall sorts of girdles from Jerusalem weaved in gold, silver, and silk.

A Caule of haire, excellent work.

Russia stockens without heels.

Hat of very fine straw or bent.

A hat-band made of the sting-ray.

Bands and cuffs of straw.

Indian monteroes.

Peru.

Canada.

Mogull.

China.

Japan.

Cormandell.

Barbery.

Turky.

Venice.

Rhode.

Malta.

Greneland.

Poland.

Portugall.

Spaine.

Russia shod with Iron.

East India.

Sandals of wood, from China.

Sandals made of twigs.

Severall sorts of Sandals. } Malta.

Choppenes for Ladyes from }

Venice.

Womans breeches from the Abissenes

Divers night-caps made of grasse, fro-

the West Indies.

Turkis

- Turkish belt wrought with gold.  
Rich vest from the great Mogull.  
Napkins made of the rinds of trees.  
Variety of Indian Crowns made of divers sorts of feathers.  
Several attires and ornaments made of most beautifull feathers.  
A Hat-band of glasse spun into fine threads.  
Variety of Chains, made of the teeth of serpents and wilde beasts, which the Indians weare.  
Bracelets from Guiny.  
Bracelets of Indian fruits.  
Several steel-chains of curious work, from Spaine.  
Black Indian girdles made of Wampam beek, the best sort.  
A Bracelet made of thiges of Indian eyes.  
Purses of the barks and rindes of trees.  
A Purse made of a Toad-skin, a handfull long.  
Virginian purses imbroidered with Roanoke.  
A Coat lyned with *Agnus Scythicus*.  
West Indian thred.

## X.

## Utensils.

**A** Roman Lamp.

**A** A Letherre Tobacco-pipe.

**A** Ginny Lanthorn;

Indian Ladle.

Dishes of gourd shells, Indian.

Ginny drinking-cups made of birch.

Indian pillow.

Chaffing-dish, gridiron, spits, and to  
roast egges and apples; all to be done  
with one fire, and all in a modell of iron.

Desk for a book, } of carved Whale-  
Rack to hang a } bone:  
cloak on — }

Indian cradle.

An Indian hollow low stoole.

An Indian little round table.

China ware, purple and green.

Mazer dishes.

Indian long pepper-boxes.

Cup of } Rhinoceros }  
} Unicorn, & } hornes.  
} Albado's — }

Divers dishes of mother of pearle.

A branched Candlestick turned in I-  
vory.

An Indian dish made of excellent red  
earth,

earth, with a Nest of Snakes in the bottom.

A casting bottle of marbled-glaſſe.

Variety of *China* dishes.

A Table-cloath of grasse very curiously waved.

Divers transparent Ivory-cups.

Severall cups of Amber turned.

Cup made of Albado horn.

Skades to slide with.

Hataccoes, five severall sorts.

A Poringall-Whisk of haire to beat away flies from horses and camels.

Tobacco-pipes,  
30 sorts from

*Brasil.*  
*Virginia.*  
*China.*  
*India.*  
*Amazonia.*

*Vishago*, a Spanish tooth-picker.

Turkish tooth-brush.

Gurgolets to poure water into their mouthes without touching it.

Baskets to carry those Gurgolets, Indian.

Plates made of Rushes, *Ginny*.

Turks budget.

A Turkish Inkhorn.

An Italian lock, *Castos pudicis*.

- An Umbrella? 10 ft. 16 draw. <sup>16</sup>  
 Palmeta leaf. <sup>16</sup>  
 Turkish feathers &  
 Ventilo's of Straw. <sup>16</sup> 10 years  
 Leather. <sup>16</sup> old A  
 Sedge. <sup>16</sup> bayw yellow  
 Indian baskets 20 sorts. <sup>16</sup> 16  
 German locks 6 sorts. <sup>16</sup> 16  
 Fannes of skins and rushes. <sup>16</sup> 16  
 Tartarian saddle with stirrups of wood  
 with a hollow wherein he keeps his meat  
 alwayes warm. <sup>16</sup> 16 V. V. <sup>16</sup> A  
 Divers sorts of Indian weights and  
 skales. <sup>16</sup> 16  
 Beads strung upon stiffe wyers, and  
 in four-square frames wherewith the In-  
 dians cast account. <sup>16</sup> 16 16 16 16  
 A Turks travelling bucket of leather.  
 An Indian leather-case wrought  
 gold. <sup>16</sup> 16 16 16 16  
 Letter-cases made of cheginde  
 trees and grasses. <sup>16</sup> 16 16 16 16  
 A copper Letter-case an inch long  
 taken in the Isle of Ree with a Letter in  
 which was swallowed by a Woman, and  
 found. <sup>16</sup> 16 16 16 16  
 A choice polished steel for a lookin-  
 glasse in an ivory frame, cut in curious  
 figures. <sup>16</sup> 16 16 16 16

Dives

Divers sorts of Looking-glasses of severall formes.

A steel-glasse that shewes a long face on one side, and a broad on the other.

XI.

*Nomismata.*

*Aurea.*

*Greca.* Lysimachus.

*Britan-* Cunobelinus; *vid: Cambd: Brit:*  
*nica.* (Tab: I. N. 3.)

Alius, *ibid: N. 8.*

Sex, incerta.

*Latina.* Scipio Africanus.

Cicero.

Augustus.

Nero.

Fl: Jul: Constantius.

Fl: Valentinianus.

Fl: Gratianus.

Valentinianus Jun:

Fl: Honorius.

Arcadius.

Justinus.

Constans & Constantinus.

Justinianus II.

Constantinus VIII.

& Romanus.

*Moderna.* *Sextus V. Pont: Max:*  
*Clemens VIII. Pont: Max:*  
*Urbanus VIII. Pont: Max:*  
*Ferdinandus & Eliz: Hisp:*  
*Philippus II. Rex Hisp.*  
*Carolus Rex Francorum.*  
*Jacobus V. Rex Scotorum.*  
*Casimirus Rex Polon:*  
*Stephanus Rex Polon:*  
*Conradus II. Ro: Rex Dux*  
*& Gub: Reip: Gen:*  
*Emanuel Filib: Dux Sabaud:*  
*Gulielmus Dux Mantuae.*  
*Ferdinandus Dux Mant:*  
*Ranut Far: Placent: Dux IV.*

*Moneta Provinc: fœder: Belg:*

*Aurea. Westfrisia.*

*Civitas Metensis.*

*Civitas Campeni.*

*Venetian* { *Ducat.*

{ *half Ducat.*

*Spanish* { *Pistoll.*

{ *half Pistoll.*

*French* { *Pistoll.*

{ *half Pistoll.*

*Non*

Nomismata Hebraica.

Argentum.

Siclus — { Characteribus Samaritanis  
Hemisiclus } signati.

Siclus — { Characteribus Chaldaicis  
Hemisiclus } signati.

Nomismata Graeca.

Argentum.

Stater. { Alexandri.  
Athenarum.  
Ephesiorum.  
Macedonum.

Tridracma { Rhodiornm.  
Siculorum.

Didrachma { Tarentinorum.  
Syracusanorum.

Drachma

<i>Drachma</i>	<i>Alexandri.</i>
	<i>Gælensinum.</i>
	<i>Armeniorum.</i>
	<i>Siriphiorum.</i>
	<i>Rhegiorum.</i>
<i>Triobolus</i>	<i>Massiliensium.</i>
	<i>Actiorum.</i>
	<i>Apolloniatum.</i>
	<i>Dyrrachinorum.</i>
	<i>Rhodinorum.</i>

*Erea.*

*Demetrii.*  
*Lysimachi.*  
*Athenarum.*  
*Panormi.*  
*Syracusarum.*  
*Rhodi.*

*Nomismata Romana,  
secunda Familia.*

*Argentea.*

<i>M: AEMILIus LEPidus.</i>
<i>M. Æmilius LEPIDVS.</i>
<i>M. ANTONIUS IMP.</i>
<i>SANTONIUS.</i>
<i>AVGustus IIIVIR. R. P. C.</i>
<i>LEG. III.</i>

ANT.

- ANT. AVG. IIIVIR. R.P.C. LEG. VI.  
ANT. AVG. IIIVIR. R.P.C. LEG. XIII.  
ANT. AVG. IIIVIR. R.P.C. LEG. XX.  
M' AQVILLius M. F. MN. ~~AN~~ M.  
M: Aurelius SCAVRus. HT. ~~AN~~ M.  
**Augustus CÆSAR. IMPAVII.**  
Castor & Pollux equitantes. OISAD. M.  
L. Calpurnius PISO FRVGI. ~~AN~~ M.  
C. CASSIus. A. LIVS amb. ~~AN~~ M.  
L. Cassius LONGINus. ~~AN~~ M.  
Q. CASSIVS Longinus. ~~AN~~ M.  
Q. Cæcilius Metellus PIus. ~~AN~~ M.  
L. CAESTIVS. ~~AN~~ M.  
TI. CLAVDIus TI. F. APPIANUS. ~~AN~~ M.  
P. CLODIVS. M. F. ~~AN~~ M.  
T. CLOVLius. ~~AN~~ M.  
C. COIL (Cælius) CALDus. ~~AN~~ M.  
M'. CORDIVS. RVEVS. IIIVIR.  
CN. Cornelius LENTulus. ~~AN~~ M.  
L. Cornelius SCIPio ASIAticus. ~~AN~~ M.  
CN. DOMITius Ahenobarbus. ~~AN~~ M.  
C. EGNATIVS. CN. F. CN. N. ~~AN~~ M.  
C. FABIus. C. F. ~~AN~~ M.  
N. FABIVS C. F. Pictor. ~~AN~~ M.  
L. FLAMINius GILO.  
C. FVNDANIus Fundulus.  
C. HOSSIDIus C. F. GETA. IIIVIR.  
Julius CAESAR. *Eliphas*  
Julius CAESAR. *Anchises*  
L. Junius BRVTVS.

S L. MANLIUS PROQ.

Q L. Cornelius SVLLA.

L. Marcius PHILIPPVS.

L. MEMMIus GAL.

Q. Minutius THERmus M. F.

M. Papirius CARBOnus.

M. PLAETORIus CESTianus.

S Q. POMPEIus Q. F. RVFVS.

Q L. Cornelius SVLLA.

C. Porcius CATO. Manii filius.

L. RVBRIus Dossenus.

L. SCRIBONIus LIBO.

T I. SEMPRONIUS GRACCUS IIIVIR

C. SERVILIUS. M: F.

C. SERVILIUS. C. F.

Q. Servilius CAEPIOnus.

C. SVLPICIUS. C. F.

L. THORIUS BALBV.

Q. TITIUS.

L. TITVRIUS SABINus.

P. Titurius SABINus.

C. VALerius FLACCus.

L. VALERIUS FLACCUS.

C. VIBIUS. C. F. PANSA.

Nomismata Imperatorum.

Argentea.

C. Julius Cæsar.

Marcus Antonius.

Augustus.

Tiberius.

Nero Claud: Drusus Germ:

Caius.

Claudius.

Nero.

Ser: Galba.

M. Otho.

A. Vitellius.

Vespasianus.

Titus.

Domitianus.

Nerva.

Trajanus.

Hadrianus.

Sabina Hadriani.

Antoninus Pius.

Faustina Pii:

M. Aur: Antoninus.

Faustina Marci.

Lucilla Veri.

L. Æl: Aurel: Commodus.

Grispi

Crispina Comodi.

P. Helvius Pertinax.

L. Sept: Severus.

M. Aurel: Antoninus Caracalla  
Caracallæ Caput barbatum.

P. Septim: Geta.

M. Aur: Antoninus Elagabalus.  
Elagabali Caput barbatum.

Julia Mæsa.

Julia Mamæa.

M. Aurel: Sever: Alexander;  
Maximinus.

M. Cled: Pupienus Maximus.

M. Ant: Gordianus.

M. Jul: Philippus.

M. Otacilla Severa Philippi.

M. Jul: Philippus. Jun:

Q. Trajanus Decius.

C. Herennius Etruscus Mes: Dec

C. Vibius Trebonianus Gallus.

C. Vibius Volusianus.

P. Licinius Valerianus.

P. Licinius Gallienus.

Corn: Solonina Gallieni.

P. Licinius Valerianus.

M. Cassius Latienus Postumus.

Fl: Julius Constantius.

Fl: Julius Constans.

Magnentius.

Fl: Claud: Julianus.

Julia

Juliani Caput barbatum.

Valentinianus.

Fl: Gratianus.

Fl: Magnus Maximus.

Honorius.

Valens.

Theodosius.

Arcadius.

*Ærea.*

	<i>Magnitudo.</i>
C. Julius Cæsar.	1 & 2.
M. Agrippa, Lúci F.	2.
Augustus.	1. 2.
Tiberius.	1. 2.
Germanicus.	2.
Agrippina.	1.
Caius.	1.
Claudius.	1. 2.
Nero.	1. 2.
Galba.	2.
Otho.	1.
Vitellius.	1.
Vespasianus.	1. 2.
Titus.	1. 2.
Domitianus.	1. 2.
Nerva.	1. 2.
Trajanus.	1. 2.

Hadria-

<b>Hadrianus.</b>	I.	2.
<b>Antoninus Pius.</b>	I.	2.
<b>Faustina.</b>		2.
<b>M. Aurel: Antoninus.</b>	I.	2.
<b>Faustina Marci.</b>	I.	
<b>L. Aurel: Verus.</b>	I.	
<b>Lucilla Lucii Veri.</b>	I.	
<b>L. Æl: Aur: Commodus.</b>	I.	2.
<b>Commodi Caput Barbatū.</b>	I.	
<b>L. Sept: Severus.</b>	I.	
<b>M. Aur: Ant: Caracalla.</b>	I.	2.
<b>Julia Mæsa.</b>	I.	
<b>Julia Mamæsa.</b>	I.	
<b>M. Aur:Sever: Alexander.</b>	I.	2.
<b>Maximinus.</b>	I.	
<b>M. Ant: Gordianus.</b>	I.	2.
<b>M. Jul: Philippus.</b>	I.	2.
<b>M.Octacilla Sev: Philippa.</b>	I.	2.
<b>M. Jul: Philippus Jun:</b>	I.	2.
<b>Q. Trajanus Decius.</b>	I.	
<b>Barbia Orbiana Decii.</b>		2
<b>Vibius Trebonianus Gallus.</b>		2
<b>P. Licinius Gallienus.</b>		2
<b>P. Lic: Corn: Saloninus</b>		
<b>Valerianus.</b>		2
<b>M. Cass: Lat: Posthumus.</b>		3
<b>M. Aur: Victorinus.</b>		3
<b>P. Pives: Tetricus.</b>		3

## Magnitudo.

C. Pives: Tetricus.	3.
M. Aurel: Claudius.	2.
L. Domitius Aurelian <sup>9</sup> .	2.
M. Claud: Tacitus.	2.
M. Annius Florianus.	2.
M. Aurel: Probus.	2.
Probi caput barbatum.	2.
C. Valer: Dioclesianus.	2, & 3.
Carausius.	2.
Allectus.	2.
M. Aur: Valer: Maximianus.	2. 3.
Fl: Valer: Constantius.	2. 3.
Fl: Jul: Helena.	3.
C. Gal: Val: Maximianus.	3.
C. Gal: Val: Maximinus.	3.
Fl: Valer: Constantinus.	2. 3.
Fl: Max: Fausta.	3.
Fl: Jul: Crispus.	3.
M. Aur: Val: Maxentius.	3.
C. Val: Licinianus Licinius.	2. 3.
Licinius Junior.	3.
Fl: Claud: Constantinus Jun:	3.
Fl: Julius Constans.	2. 3.
Fl: Julius Constantius.	2. 3.
Magnentius.	2. 3.
Decentius.	2.
Fl: Valentinianus.	3.
Fl: Gratianus.	3.
Valentinianus II.	3.

Honorius.  
Valens.  
Theodosius.  
Tiberius Mauritius.  
Justinianus II.  
Leontius.  
Michael. *vide Strada, fol. 319.*  
Constantius XI. *ib. fol. 322.*

---

*Argentea quaedam inferenda.*

L. Aurelius Verus.  
M. Opel: Macrinus.  
Julia Scemias.  
Heren: Etruscilla Volusiani.

---

XIV.  
Medalls.

*Gold.*

Pope Sixtus V.  
Pope Clement VIII.  
Pope Urban VIII.  
Elizabeth the Daughter of Andrew King of Poland.  
Upon the Coronation of King CHARLES in Scotland.

Silver.

Moses.

{ David & Bathsheba:  
} Lot & his 2 daughters:

Priam.

Helleni.

Pallas.

Alexander.

Mithridates.

Camillus Dictator.

Lucretia.

Artimesia.

Dido.

Julius Cæsar.

{ Herod and

} Josias King of Juda.

Pope Clement VIII.

Pope Urban VIII.

{ Maximilianus Magnanimus:  
} Mary daughter and heire of.

{ Charles Duke of Burgundy.  
Rodolphus II. Emperour of

Germ:

{ Matthias and } Archdukes of  
} Maximilian } Austria.

Ferdinand II. upon his Corona-  
tion.

The Effigies of eleven of the Au-  
strian family.

All the Armes of the Empire upon  
on a Peacockes tayle.

JAMES King of England, &c.

Queen ANNE.

King JAMES.

Queen ANNE.

Prince HENRY.

King CHARLES.

King CHARLES and

Queen MARY.

Upon King CHARLES his Coronation at Westminster.

Upon the Isle of Ree Voyage.

Upon His Coronation in Scotland.

Upon Prince CHARLES his Birth.

Upon JAMES Duke of Yorke his Birth.

Prince CHARLES.

Philip the II. K. of Spaine, 1557

Philip the II. and

Anne his Wife.

Lewis XIII. King of France.

Queen Mother.

John II. King of Sweden.

Gustavus Adolphus King of Sw

Gustavus Adolphus, and

Maria and Elianora.

Upon Gustavus his death.

Christina Queen of Sweden.

Christian IV. King of Denmarke.

Maximilian King of Bohemia and  
Hungaria, 1563.

Ignatius Loyala.

Cardinal Richlieu.

Frederick Henry Prince of O-  
range, 1625.

Maurice Pr: of Orange, 1632.

John Frederick Duke of Saxony.

Ernestus Count Mansfield.

Albertus Durer. 1514.

Lawren: Staberus Orator, 1536.

John a Leyden.

Pomponius Bellieuræus, 1598.

Upon the Comet, 1618.19. Nov.

A Lady suckling her Father in  
Prison.

### Copper and Lead.

Eneas.

Alcibiades.

Conon.

Mithridates.

Solon.

Themistocles.

Timotheus.

Hanniball.

Scipio.

Brutus.

Camillus Dict:

C. Marius.

Charles the great.

Charles the V. 1521.

Pope Julius II.

Pope Sixtus V.

Philip II. King of Spaine, 1588.

Philip the IV.

Henry IV. King of France.

{ Henry IV. and

\ Maria Augusta.

Maria Aug: Gall: and Navar:  
Regin:

Lewis XI. King of France.

Lewis XIII.

Leopold Archduke of Austria.

Mar: Magdalena Archduchesse  
of Austria.

Maria Austria.

Gabriel King of Hungaria.

Elizabeth Queen of Hungaria.

Cardinal Granvelanus.

Charles Duke of Burgundy,  
1467.

Frederick Count Pallatine.

Marcus Antonius Memmo, Duke  
of Venice.

Frederick Gonzaga Duke of  
Mantua.

Lotharing:

Lotharing: Archiep: Treveriensis.

Antonius Perrenot Archiep:  
Mechlin:

Franciscus Medicis.

Ni: Brulartus a Sillery Franc: &  
Navar: Canc:

Antonius B. de Burgundia.

Albertus Durer:

Lodovicus Ariost: Poet:

Michael Angelus.

Andreas Doria.

George Tetzel.

Joan Baptista Houwart.

Joan Riette.

Stephanus de Witt.

Antonius van Rossendaal, 1632.

*In memory of the Jubile at Fran-*  
*cof: 1617.*

Strasburg, 1628.

*In memory of 1588.*

*Upon the Synod of Dort,*

*Divers old Saxon Coynes.*

*Severall old English, or Ester-*  
*ling pieces of Money.*

Severall sorts of Moderne Moneyes from  
most Countreys in Europe,  
As also from

India.

Bengallas

Pegu.

Lira.

Gaspers.

Turkey

Sheltees.

200 severall sorts of Dollers.

Moneyes from beleagured Cities, &c.

viz:

Breda, 1625.

Bruxells,

Bergen up Zoon.

Pomfract.

Newarke

and divers other places.

XV.

CATALOGUS  
*Plantarum in Horto  
johannis Fredeſcanti,  
nascentium.*

**A** Belmosch *Egyptiorum s. alcea.*

*The yellow Marsh Mallow.*

**Abies** { Mas. } Male { Firre tree.  
Fœmina. } The { Female }

{ Mas. *Southern wood.*

Fœmina: *Chamæ Cyprif-  
sus. Lavender Cotton.*

*Unguentare.*

*Silvestre. Common Sou-  
thern wood.*

**Abrotanum**

*Inodorum. Unsavory Sou-  
thern wood.*

*Arborescens. Tree Southern  
Wood.*

*Marinum. Romane Worm-  
wood.*

**Absin-**

<b>Absin-</b> <b>thium—</b>	Romanum tenuifolium. Roman Wormwood with fine leaves.
	Marinum, sc. Serephium. Sea-Wormwood.
	Marinū folio Lavendulæ. Sea-wormwood with Lavender-leaves.
	Vulgare. Common Wormwood.
	Umbellatum Clusii. Clusius his white Wormwood.
<b>Acacia.</b>	Tridentinum Lobeli, his Austrian wormwood.
	The binding Bean-tree.
	Acacia Indica.
<b>Acanthus</b>	Sylvestris. The wilde Beares breech.
	Sativus, scil. Branca Ursina. The manured Beares breech.
	Aculeatus. Prickly Beares (breech.
<b>Acer</b>	Majus Latifolium, sive Pseudoplatanus. The great Maple or Cynamore tree.
	Minus vulgare. The common Maple tree.
	Virginianum Tradescanti. Tradescant's Virginian Maple.
	Virginianum alterum, his other Virginian Maple.
	Acetosa

Hispanica major, great Spanish Sorrell.

Franca rotundifol: lobel: round-leaved Sorrell.

Acetosa Indica, seu vescicaria; Indian or American Sorrell.

Vulgare, common Sorrell.

Minima, sive Oxalis minima; Sheeps Sorrell.

Acinos Anglicus, our English wild Basil.

Hyemale, Winter Wolfsbane.

Salutiferum, sive Anthora, wholesome Helmet flowre.

Luteum ponticum majus, the greater yellow Wolfsbane.

Luteum ponticum minus, the lesser yellow Wolfsbane.

Aconitum Cæruleum, sc. Napellus, blew Helmet flowre.

Bacciferum, sive Christophoriana; herb Christopher.

Americanum racemosum fructu albo; Indian branched Wolfs-bane with white fruit.

Flore Delphinii, Wolfs-bane with Larkes-heele-flowers.

- Acorus } verus, sive calamus aromaticus  
         } officinarum; sweet smelling  
         } flagge.  
 palustris; yellow water-flagge,  
         or Flore de Luce.  
 Ageratum flore luteo; yellow Maud-  
         line.  
 Agnus castus vitex; the Chast tree.  
 Agrimonia, Agrimony.  
 Alaternus; ever-green Privet.  
 Alcea } Veneta; Venice Mallow.  
         } vulgaris; Vervine Mallow.  
 Alchimilla, pes Leonis; Ladies Mantle.  
 Alkekengi; Winter-cherries.  
 Alliaria, sauce alone, Jack by the hedge.  
 Allioporum, sive Scorodoprasson; or  
         great Turkey Garlick.  
 Sativum, Garlick.  
 Latifolium, ursinum, Ramsous.  
 Allium } Silvestre tenuifolium, Crow-  
         Garlick.  
         majus Scorodoprasson; great  
         Turkey Garlick.  
 Aloe Hispanica, Aloes of Spaine.  
 Alopecuros } maxima Anglica, greatest  
         } English Fox-taile grasse.  
         minima, least Fox-taile-  
         grasse.  
         Spica aspera.

baccifera, berry-bearing Chickweed.

baccifera repens, Clusii. Cacubalum Plinii. great spreading Chickweed.

Alsinē maxima, greatest Chickweed.

major, great Chickweed.

hederacea, Ivy Chickweed.

foliis veronicæ, speedwell Chickweed.

aquatica major, great Water-Chickweed.

hirsuta Myosotis. Ad: Mous-eare Chickweed.

vulgaris, common Marsh Mal-lows.

arborea flore Purpureo, purple tree Mallow.

arborea flore albo, fundo Pur-pureo, montis Olbiæ.

montis Olbi, Morini.

Dioscoridis, Madwort of Diос-corides.

Alyssum Clusii, Galeni; Galens Mad-wort according to Clusius.

Amaranthus purpureus major paniculis sparsis; great Floramour or purple flowre gentle.

Amara-

**Amaracock**, sive *Clematis Virginiana*  
*the Virginian Clymer, or Passion flowre.*

major purpureus ; great purple  
*Flowre gentle.*

purpureus minor elegans ; nea-  
 lesser purple *Flowre gentle.*  
 tricolor ; spotted or variabi-  
*Flowre gentle.*

purpureus major paniculi-  
 sparsis, great *Flowre Am-*  
*mour, or purple Flowre*  
*gentle.*

viridis Novæ Angliæ ; gree-  
*Flowre gentle from New*  
*England.*

holosericus ; crimson velvet  
*Flowre gentle.*

cristatus.

**Amelanchier Lobeli** ; French honey sweet  
*mort.*

**Ammi vulgare**, Dod: *Bishops weed.*

**Amomum Plinii**, *Pseudocapficum Dodonai* ; *Winter Cherry-tree.*

**Amygdalus** ; *the Almond-tree.*

stenuifolia flore cæruleo

Monelli, *Narrow-leafe*  
*Pimpernell with blue*  
*flowres.*

Anagallis flore cæruleo mai : Monel-  
 ma

Anagallis	mas flore Phœnicio; male red Pimpernell.
	fœmina flore cœruleo; fe- male blew Pimpernell.
	flore Luteo; yellow flowre Pimpernell.
	aquatica vulgaris, sive Be- cabunga; Water Pim- pernell, or Brooklyme.
	aquatica, sive Becabunga major; the greater Brook- lyme.

Anagyris foetida; stinking beane Tree-  
foile.

Andro- sæmon	sive Climenum Italoru; Tuts- san or Park-leaves.
	magnum; Tutsan, or great St. Johns wort.

Anemone	latifolia pavot. ma: flore pleno; great double O- range tawny Anemone, with broad leaves.
	latif: Chalcedonica flo:ple- no; double Orange taw- ny Anemone of Constan- tinople, or Spanish Ma- rigold.

Ane-

<i>Anemone</i>	<i>Anemones</i>	violet, peach, Encarnadine, white, ama- (ranth)
	latif:	Rosea flore pleno double Rose-coloured <i>Anemone</i> with broad leaves
	latif:	albicans flo: pleno double pale blush <i>Anemone</i> with broad leaves.
	latif:	coccinea flo: pleno double scarlet <i>Anemone</i> with broad leaves.
	latif:	potorine flo: pleno.
	latif:	Cyparissa flo: pleno double <i>Anemone</i> of Cyprus.
	latif:	Constantinopol: flo: ple: double broad leave <i>Anemone</i> from Constantinople.
	tenuifolia	alia diversæ spe- cies; divers other sorts of <i>Anemone's</i> with broa- leaves.
	tenuifolia	rubro flore ple- no; double red <i>Anemone</i> with thin leaves.
	tenuif:albo	flo: plen: doubl: white <i>Anemone</i> with thi- leaves.

- tenuif: albo dilut: flore pleno ;  
double white mingled Anemone  
with thin leaves.
- tenuif: mutabilis flore pleno ;  
double changeable Anemone  
with thin flowers.
- tenuif: viridis flo: pleno ; double  
greenish Anemone with thin  
leaves.
- tenuif: carnea viva: flore pl:  
double carnation Anemone.
- tenuif: scarlata flo: pleno.
- tenuif: Pink colour, flore pleno.
- tenuif: pl: Coma-amaranthina ;  
double purple velvet Anemone  
and striped.
- tenuif: flore ple: Rosea ; double  
Rose-coloured Anemone with  
thin leaves.
- tenuif: flore pleno variegata ;  
double party-coloured Anemo-  
ne with thin leaves.
- tenuif: flore pleno purpureo ;  
double purple Anemone with  
thin leaves.
- tenuif: flore pleno purpureo  
dilutior ; double purple mixed  
Anemone with thin leaves.
- tenuif: flo: simplici, Brancion.

- Anemone flore simp: diversæ species ;  
 divers sorts of single Anemones.
- Anethum vulgaris ; Dill or Anet.
- Angelica } sativa, garden Angelica.
- Angelica } silvestris, wilde Angelica.
- Anisum, Anise.
- Anonis } spinosa, Rest harrow. vide O-  
 nonis.
- Anthonis } non spinosa, Rest harrow with-  
 out pricks.
- Anthyllis } leguminosa flo: luteo, Kid-  
 ney Vetch, with yellow  
 flowres.
- Anthyllis } leguminosa flore rubro Hi-  
 spanica , Kidney Vetch of  
 Spaine with red flowres.
- Anthyllis } leguminosa erecta flo: ru-  
 bro, upright Kidney Vetch  
 with red flowres.
- Anthyllis } legum: Zilondica ma:  
 Lentifolia, Kidny Vetch with  
 Lentill leaves.
- Antirrhinū } majus flore albo , greate  
 Snapdragon with whit  
 flowres.
- Antirrhinū } majus flore rubro, greate  
 Snapdragon with re-  
 flowres.
- majr

majus flore rubello, scarlet  
or light red Snapdragon.

medium Hispanicum flore  
albo, middle white-flowered  
Snapdragon of Spaine.

vulg: i. Math. medium flore  
purpureo, middle Snap-  
dragon with purple flowres.

minimum, the least Snap-  
dragon.

medium flore incarnato,  
middle incarnadine Snap-  
dragon.

minus flore variegato, small  
party-coloured Snapdragon.

minus flore albo, small  
white Snapdragon.

Apacha, yellow wilde Vetch.

Apios. vide Lathyrus.

hortense, garden-Parsley.

ampl: & angustifolio, large  
narrow-leaved Parsley.

crispum, curled Parsley.

Virginianum, Virginia Parsley.

silvestre, sive thisselinum, wilde  
Parsley.

selinum Venetorum, Venetian  
Parsley.

perfoliatū seu Smirnium Cret-  
icum, thorow-leaved Parsley  
of Candy. G 2 Apium

*Apium* sive *Paludapium*, *Smallage.*

*Apocynum* } *Americanum*, *American*  
} *Dogs bane.*  
} *alterum.*

*Virginiana*, *Virginian Columbine.*

*variegata* albo & purpureo, striped *Columbin*  
white and purple.

*variegata* albo & rubro  
party-coloured *Columbin*  
white and red.

*Aquilegia* } *rosea variegata variabilis*  
} *Rose Columbine.*

*roseo flore multiplici variorum colorum*, double *Ros Columbine* in severall colours.

*vulg: diversorum colorum ordinary single Columbine*  
of divers colours.

*Arabis* sive *Draba*, *Arabian Mustard*

*Aracus* } *Bæticus*, the Spanish chicklin  
} Peas.

} *clematites*, the running wild  
chickling Peas.

*Arbo*

*vitæ vel Thuyæ, Tree of life.*

**Arbor** } *Judæ flore rubro, Judas tree  
with red flowers.*

**Herba** } *sensitiva elegantissima, the sen-  
sitive plant.*

} *sensitiva humilis, from Barba-  
dos, the low sensitive shrub.*

**Arbutus, sive Virido, the Strawberry-  
tree.**

} *capitu'o rotundiore, round-  
headed Bastard with Pop-  
pie.*

} *capitulo longiore, long-bea-  
ded Bastard with Poppie.*

**Argentina sive Potentilla, Silver weed,  
wilde Tansey.**

} *clematitis, the running-  
rooted Birthwort.*

**Aristolochia** } *rotunda radice, round  
rooted Birthwort.*

} *longa, long rooted Birth-  
wort.*

} *holoserica, crimson Sweet-  
Williams.*

} *flore pleno, double flowered  
Sweet Williams.*

} *flo: simpl: magna diversitas,  
great variety of Sweet Wil-  
liams with single flowers.*

} *sylvestris, Deptford Pinke.*

<i>Artemisia vulgaris</i> , common Mugwort.	
	<i>vulgare</i> , Wake Robin, Cuckow-pintle.
	<i>maculis nigris</i> , blacke Spotted Wake Robin, Priests-pintle.
<i>Arum</i>	<i>majus</i> .
	<i>foliis laciniatis</i> , seu Dracunculus, striatum album elegans, Morini.
<i>Arisarum</i>	
	<i>Hispanica</i> , seu Δόνας, Spanish Reed, or Cane.
	<i>Indica</i> foliis striatis, Morin:
<i>Asarum vulgare</i> , common Asarabacca.	
<i>Ascyrum vulgare</i> , ordinary St. Peters Wort.	
	flore albo, White flowered Swallowort.
<i>Asclepias</i>	flore nigro, Swallowort with black floweres.
<i>Asparagus sativus</i> , Garden Asparagus.	
<i>Asperula</i>	flore albo, white Woodroof.
	flore cæruleo, blew Woodroof.
	minor, Clusii his small Asphodill.
<i>Asphodelus</i>	Lusitanicus, Portugall Asphodill.
	Indicus nondum descriptus, Morini.
	<i>Asplenium</i> ,

Asplenium, Ceterach, Spleen wort.  
Asplenii & Polytrici, species quinque,  
Morini.

Aster } Italorum, Italian Starmort.  
 } Virginianus fructicosus, Ger:  
 emasc:  
 } fructicosus, Ger: ema: preco-  
 cior.  
 } cæruleus serotinus fructicans.

Astragalus } Bæticus, Clusii his Spanish  
 } milke Vetch.  
 } Marinus, Sea Spanish milke  
 } Vetch

Attractylis, Distaffe Thistle.

Atriplex } major, greater Ar-  
 } rache.  
 baccifera } minor, lesser Ar-  
 } rache.  
 } sativa alba, manured White Ar-  
 } rache.  
 } sativa rubra, manured red Ar-  
 } rache.  
 } olida, stinking Arrache, Notch-  
 } weed or Vulvaria.

Atriplicis varietates, severall sorts of  
Arrache.

Avellanæ diversitatis, variety of Fil-  
beards and Nuts.

Avena nuda, naked Oates.

Auricula ursi	flore albo, white colour'd Bears eares.
	flore luteo maximo, greatest yellow Beares eares.
	folio glabro, smooth leaf'd Beares eares.
	flore luteo medio, middle yellow Bears eares.
	albo & rubro variegata, striped white and red Bears eares.
	albo & purpureo variegata, party-coloured white and purple Beares eares.
	flore holoserico, crimson- velvet Beares eares.
	flore rubro, red Beares ears.
	flore violaceo, violet-colou- red Beares eares.
	flore fusco, Hare-coloured Bears eares.
maxima Tradescanti	Holoserica, Potrine, silken Beares eares.
	altera Potrine.
	flore obsoleto, Tradescant his greatest blush Beares ears.
	diversæ species, several sorts of Beares ears.
Azadorach, the Bead tree.	Baccharis

B.

**B**Accharis Monspeliensium, French-Bacchar. Gerards Plovmans Spick-nard.

Balaustium, sc: Malus Punica, Pomegranat tree.

Ballote, sc: Marrubium nigrum fætidum, stinking black Horehound.  
cucumerina.

Balsamina } Balsam Apple, Apple of  
} Jerusalem.

Balsamum Alpinum, Ges: Camer; Sweet Mountaine Rose.

Barba Jovis, frutex, the silver bush.

Barba Hirci, sc: Tragapogon, Goates-Beard.

major, the greater Burdock.

Bardana } minor vel Arctium, the lesser  
} Burdock.

Battatos, Potatoes.

Behen } albus, white spatling Poppy.  
} rubrum, red spatling Poppy.

major campestris, Great field-Dasie.

Bellis } major Americana umbellata,  
} Great tufted American Dasie.  
hortensis flore rubro variegata,  
red garden striped Dasie.

Bellis

- hortensis flore albo pleno, white  
 garden Dasie with a double  
 flowre.  
 hortensis flore albo prolifera,  
 white garden childing Dasie.  
 Bellis hortensis flore varia prolifera,  
 changeable Dasie.  
 flore rubro fistuloso.  
 flore car: blush coloured Dasies.  
 Bellidis minoris magna diversitas, great  
 variety of lesser Dasies.  
 Belvidere Italica, sc: Linaria magna Sco-  
 poria, Broom Toadflax.  
 Berberis fructu rub: red Berberies.  
 rubra sativa, garden red Beets.  
 viridis vulgatior, common green  
 Beet.  
 rubra Romana, vel rubra rapæ  
 radice, red Roman Beets.  
 alba major platiculis, greater  
 white flat stalked Beet.  
 spinosa Cretica, prickly Beets of  
 Candy.  
 major Danicæ, broad-leaved  
 Betony of Denmarke.  
 Betonica vulgaris sive minor flo: pur-  
 pureo, common wood Betony.  
 aquatica, water Betony.  
 Betula, the Birch tree.  
 Betulus, the Hornbean tree.

Bifolium sive Ophrys, Bifole or Two-blade.

Bistorta, Snakeweed.

flore luteo, yellow flowered

Moth Mullein.

flore albo, Moth Mullein  
with white floweres.

ma: exautica flo: absoleto,  
Moth Mullein &c.

flore purpureo, purple Moth  
Mullein.

Blataria

flore cæruleo minima, the  
least blaw flowered Moth  
Mullein.

major flo: luteo, great Moth  
Mullein.

maxima oderata flo: luteo,  
great sweet yellow Moth  
Mullein.

album sylvestre minus, small  
wilde white Blite.

Blitum rubrum sylv:minus, small wild  
red Blite.

Polyspermon, wilde Blite with  
much seed.

majus albo, great white Blite.

Bolbonach. sive Viola lunaris, the white  
Sattin flowre.

Bonus Henricus, common or English  
Mercury.

Bura-

Borago { flore cæruleo & flore albo,  
 blew and white Borage.  
 foliis variegatis, Borage with  
 various leaves.  
 semper vivens, ever-living  
 Borage.

Borago { minima semper vivens, seu  
 symphytum minus, the least  
 ever living Borage.  
 flore cæruleo minima, smallest  
 Borage.

Botrys Mexicano, the Mexican Oake of  
 Jerusalem.

Brassica { sylvestris, wilde Coleworts.  
 marina latifolia, broad-leaved  
 sea Colewort.  
 perfoliata, thorow-leaved Cole  
 wort.

Brassica { foliis crispis, Colewort with  
 curled leaves.

striata, ridged or furrowed  
 Colewort.

Hispanica, Spanish Colewort.

Sabaudica, varietas, Savoy  
 Cabages.

Bryonia { alba, white Briony.  
 nigra, black Briony.

Buglosū { sativum, garden Buglossé.

Buglosū { luteum, Ger: lang de Beef.

Buglosū { sylvestre, wilde Buglossé.

Bugula

*vulg: flo:cæruleo, ordinary blew  
flowred Bugle.*

Bugula } *flore albo, Bugle with a White  
flowre.*

} *flore carneo, Bugle with blush-  
coloured flowres.*

Bulbocasta- } *majus, great earth Ches-  
nut.*

num— } *minus vulgare, lesser  
earth Chesnut.*

Buphthalmium verum Delacamp: vel  
Chrysanthemū Valentiniū Clu-  
sii, true Oxeye, or Clusius his Spa-  
nish Corne Marigold.

Bursa } *major vulgaris, common Shep-  
herds purse.*

pastoris } *minor, small Shepherds purse.*

} *major, great Box.*

} *minor, small Box.*

Buxus } *auratus, gilded Box.*

} *auratus alter foliis minoribus,  
another sort of gilded Box  
with small leaves.*

## C.

- C**abbage tree from Barbados.  
**Cacalia.**      *Colts foot.*  
**Cachrys vera,** sc: libanotis Ferulæ folio, *Fennel leafed herb Franklin-sence.*
- Calamin-** { *montana præstantior, great moun:aine Calamint.*  
**tha**            { *montana pulegii odore, field Calamint.*  
                  { *aquatica, water Calamint.*
- Calamagrostis,** *Sheergras.*
- Calceolus Mariæ,** *Ladyes slipper.*
- Calendula** { *max: flore pleno, greatest double Marigolds.*  
                  { *maxim: prolifera , greatest fruitfull Marigold.*  
                  { *maxim: flo: luteo , greatest yellow Marigold.*
- Caltha palustris,** *flore pleno , doubl Marsh Marigold.*
- Camelina,** *Trea le Wormeseed.*
- Campànula** { *lactescens Persici folia flo cæruleo, blew peach-leafe flowre.*  
                  { *lactescens Pers: flore albo white peached leafed Bell flowre.*
- Can

Campanula	{ minor rotundifolio, small Bellflowre.
	{ lact: minor sive rapuncules.
	{ sativa, sown Hemp.
Canabis	{ spuria elegans, the fine bastard Hemp.
	{ aquat: Water Hemp.
Canna	{ Indica flore rubro, red flowered Indian Cane.
	{ Indica flore luteo, yellow Indian Cane.
Capillus veneris	common Maidenhair.
Capparis.	
Caprifoliū	Germanicum flore rubro serotinum, the German red indented Honisuckle.
	Italicum perfoliatum præ- cox. double Italian early ripe Honisuckle.
	vulgare, ordinary Woodbine.
	Virginianum arbor, Virgin- ian Woodbine-tree.
	surrectum fructu rubro, red upright Honisuckle.
Capsicum Indicum	Ginny paper.
Capsicum rotundum	surrectum, Mo- rini.
Capsicum alterum	Morini.
Cardamine flore pleno	double Ladys- smock.
	Car-

	<i>trifolia; three-leaved Lady smock.</i>
<i>Cardamine</i>	<i>minus five Sium minus impatiens, impatient Ladye smock.</i>
	<i>vulgare, common Ladyes smock.</i>
	<i>Cardiaca, Motherwort.</i>
	<i>Carduorum diversæ species, divers other sorts of Thistles.</i>
	<i>lacteus S. Mariæ, Lady Thistle.</i>
<i>Cardu<sup>9</sup></i>	<i>Globosus, sphaerocephalus, major perrennis, Globe Thistle.</i>
	<i>Stellatus, Starre Thistle.</i>
	<i>Benedictus, blessed Thistle.</i>
	<i>Moschatus, Moske Thistle.</i>
	<i>Solstitialis, Saint Barnabie's Thistle.</i>
	<i>Lanceatus, speare Thistle.</i>
	<i>vulgaris, way Thistle.</i>
	<i>Carlina major, seu Chamælion album greater Carline Thistle.</i>
	<i>Carob from Barbados.</i>
	<i>Carum flore albo, white-flowred Carawayes.</i>
<i>Caryophil-</i>	<i>lata</i>
	<i>Montana, Clusii. his red mountain Avens.</i>
	<i>vulgaris, common Avens herb Bennet.</i>

	Shortensium flore pleno vario in colore differ: double Carnations or Gilliflowers of various colours.
Caryophil-	flore simplici vario in colore different: single Carnations or Gilliflowers of severall colours.
lorum	elegantium magna varietas, severall sorts of great dainty Gilliflowers or Carnations.
	marinus mi: small Thrift, or Sea-Gilliflower.
Caryophillus	globosus latifolius, Globe Gilliflower with broad leaves.
Castanea	Sequina, horse Chesnut-tree. vulgaris, Chesnut-tree.
Catanance	crimson grasse Fetch.
Caucalis	major, great rough wilde Parsley. peucedani, fol: Hogs Parsley.
Cauda Equina	Horſe-taile.
Cauda Muris	Mouse-taile.
Celastrus, Alaternus	ever-green Privet.
Centaarium	lateum perfoliatum, yellow Centory. vulgare, common Centory.

<i>minus vulgare</i> , little com mon Centory.	<i>minus vulgare</i> , little com mon Centory.
<i>majus fol: Helenii. courf great Centory.</i>	
<i>Centauriū</i> <i>majus flore luteo, great ye low Centory.</i>	<i>majus flore luteo, great ye low Centory.</i>
<i>alterum Clasii, Clusius h Centory.</i>	
<i>Cœpcea Lobeli, Lobel's Orpine:</i>	<i>flore pleno, double flower.</i>
<i>Cerasus</i> <i>Cherry.</i>	
<i>Ramosus sc: Padus Theop the clustred Cherry.</i>	<i>Ramosus sc: Padus Theop the clustred Cherry.</i>
<i>Cærasorum diversæ species, diver s kindes of Cherries.</i>	
<i>Cerefolium, common Chervill.</i>	<i>flore luteo, yellow Hon wort.</i>
<i>Cerinthe</i> <i>flore rubro, white Hon wort.</i>	
	<i>flore variegato, striped H neywort.</i>
<i>Ceterach, Asplenium, Spleen-wort.</i>	
<i>Chamaecistus flo:luteo, Dwarfe-Cist or little Sunflower.</i>	<i>sylvestris, sc: Tencru</i>
<i>Chamæcerasus, Dwarfe-Cherry.</i>	
<i>Chamædrys</i> <i>wilde Germander.</i>	<i>laciñata, German with fine cut leaves.</i>

Chamæirides variæ, severall Dwarfe-  
Flowerdeluces.

Chamæiris Constantinopolitana. Mor.

Chamelæa tricoccos, Widow waile.

Chamæ- flore pleno, double flowered  
Camomill.

melum flore simplici, single flowered  
Camomill.

Chamænerium, Rosebay Willow.

Chamæpytis, Groundpine.

majus laciniatum, great fine  
cut Celandine.

Cheledo- mas vulgare, common male  
nium Calendine.

minus, Pilewort.

majus fol: quernis, great  
oake-leaved Celandine.

Gum Succory.

Condrilla purpurea, Purple Gum-Suc-  
cory.

Christophoriana, herb Christopher.

Christopho- albo Morini.  
riana fructu rubro

Greticum, Candy corn  
Marygold.

Chrysanthemum segetum, bellidis foli:  
Dasie-leaved corne  
Marygold.

Cichoreum flore albo, white Succory.  
Sativum, garden Succory.

*Cichoreum sylv:flo:cæruleo*, wilde blew  
Succory.

*Cicuta vulgaris*, common Hemlock.

*Cinara sylvestris Bætica*, Spanish wilde  
Artichock.

*Ciræa luteiana major*, the greater In-  
chanter's Nightshade.

*Ciræa*

*luteiana minor*, small Inchan-  
ters Nightshade.

*Cirsium Anglicanum*, single-headed  
Thistle.

*Cistus prima Clusii*, male Cistus  
or Holyrose.

*scæmina Rosmarini folio*, Rose-  
mary-leaved Cistus.

*ledon flore albo*, white-gum-  
Cistus or sweet Holyrose.

*flore albo alter*, another whi-  
Cistus.

*Cistus foliis Crispis*, Cistus with cri-  
ped leaves.

*ledon primum Clusii*, swe-  
bearing Cistus.

*ledon latif: secundum Clusii*, sweet Cistus with black popl-  
leaves.

*ledon quartum Clusii*, swe-  
gumme Cistus with hoar  
leaves.

Ied

ledon septimum Clusii, sweet  
Cistus with hoary rough or  
Rosemary-leaves.

Cistus Halami folio, Sea-Purslan lea-  
fed Cistus.

quintus Clusii, Cistus with the  
smaller Olive leaves.

peregrina flo: pleno atro-  
purpureo, double purple  
Ladies Bower.

peregrina flore purpureo,  
purple Ladies Bower.

Daphnoides ma: flo: viola-  
ceo, great violet-colour  
Periwinkle.

Daphn: minor flore albo  
simplici, little white Peri-  
winkle.

Daphn: minor flore viola-  
ceo simpl: little single vio-  
let coloured Periwinkle.

Daph: minor flore purpu-  
reo pleno, little purple  
double Periwinkle.

Panonica cæruleo, secunda  
Clusii, the greater Hun-  
garian Climber, with blew  
flower.

Virginiana, Virginian La-  
dies Bower.

*Clematis sylvestris*, i. Viorna; Travellers  
Joy.

*Clinopodium vulg: wilde Basil.*

Batavorum, or Sea Scurvi-  
grasse.

vulgaris, longo & sinuato  
folio, common Scurvi-  
grasse.

*Cochlearia*

montana Anglicana, English  
mountain Scurvigrasse.

Borealis folio ampliss:

*Coggigria*, five *Cotinus Coria*, Plinii,  
Venice Sumacke.

autumnale flo: simplice al-  
bo, white Saffron of Au-  
tumne with single flower.  
autumnale flore simplice  
purpureo, purple Saffron  
of Autumnne with single  
flower.

purpureum flore pleno am-  
plio Autum: large double  
purple Saffron of Au-  
tumne.

*Colchicum*

Autumnale flore pleno va-  
riegato ampio, large dou-  
ble party-coloured Saf-  
fron of Autumnne.

Col-

Autumnale flore atropurpureo, darke purple meadow Saffron of Autumne.

Vernum, meadow Saffron of the Spring.

fritillariae facie, chequered meadow Saffron.

Colchicum

Bizantium, meadow Saffron of Constantinople.

variegatum, party-coloured meadow Saffron.

vulgare, common meadow Saffron.

ex Insula Chios, Saffron of Chio or Sio.

Colus Jovis, Jupiters Distaffe.

vesicaria, great bastard Senna.

Colutea } Scorpoides, Scorpion podded bastard Senna.

major, sc: Baccharis Monsp:

Coniza } great Flebane.

media, middle Flebane.

minima, dwarfe Flebane.

major flore albo, great white Comfrey.

Consolida } major flore purpureo, great purple Comfrey.

major flo. luteo, great Comfrey with yellow flowers.

Convolvulus	Azureus folio hederatio.
	Coronatus elegans, Morini major purpureus, great purple Bindweed.
	minor elegans, little daint Bindweed.
	Virginianus, cordato foli flore obsoleto Tradescant minor folio Althææ, litt Mallow-leaved Birdweed.
Coriandrum, Coriander.	
	mas fructu rubro, male red Cornell tree, or Cornelian Cherry tree.
Cornus	foemina fructu albo, white female Cornell tree.
	sylvestris, wilde Cornell tree.
Corona Imperialis, Crown Imperiall.	
	Corona Imperialis flore luteo. Morini major.
Coronopus	minor, Buckshorne Plantane.
	Ruellii, Swines Cresses.
Cortusa	Matheoli, Beares care Sanic Americana, Sanicle of America.
	major, great Woodnut or Hazelnut.
Corylus	minor, lesser Hazel nut.

{ fructu rubro sativa, red Fil-  
beard.

Corylus } fructu oblongo sativa, long Fil-  
beard.

{ sylvestris, the Hasle nut-tree.

Costus hortensis sive Balsamita, Cost-  
mary.

{ non foetida flore pleno, double  
Mayweed without scent.

Cotula } foetida & non foet: flo: simpli:  
single flowered Mayweed with  
a strong and no scent.

Cotyledon, Navellwort or Pennywort.

Cratæogenon Euphrasine, Ger: Eye-  
bright Cowwheat.

{ Neopolitanus, Saffron of Na-  
ples.

flore albo, white flowered Saf-  
fron.

Mæsiacus luteus, yellow Saffron  
of Mesia.

Mæsiacus flore albo, white Saf-  
fron of Mesia.

flore luteo, yellow Saffron.

Crocus } Violaceus major, great violet-  
coloured Saffron.

Violaceus minor, small violet-  
coloured Saffron.

flore cinereo, ash-coloured Saf-  
fron.

*Crocus* *Mæsiacus argentinus*, silver co-  
loured Saffron of *Masia*.

*Mæsiacus luteo* *Duc:* yellow-  
Saffron of *Masia*, or *Duke Crocus*.

*Croci flore variegato* diversæ species,  
divers kindes of sky-coloured Saf-  
frons.

*Cruciata* { *Crosswort*.  
Gentiana.

*Crupina Belgarum*, beard creper, Park:  
786.

*Cucumis sylv:* sc: *Affininus*, wilde Cu-  
cumer.

mas, male Cypressse.

scemina, female Cypressse.

*Cypressus* { *Virginiana* *Tradescāti*, Tra-  
descant's *Virginian* Cy-  
presse.

*Cuscuta*, Dodder.

{ major latifolius, great broad-  
leafed Blew-bottle.

*Cyanus* { *Orientalis odoratissimus*, sc:  
Floridus Turcicus, the Sul-  
tans Flower.

*Cyani hortensis variæ* in colore diffe-  
rentiæ, severall sorts of garden-  
corne flowers of different colours.

*Cyanus Constantinopolitanus* flore al-  
bo, Morini.

Cyclomen

Autumnale flo: albo, white  
flower Autumn Sowbread.  
Aut:flo: purpureo, purple  
Autumne Sowbread.

Radice Anemones, Ane-  
mone rooted Sowbread.

folio Hederæ, Ivy-leaved  
Sowbread.

folio Hederæ Italicum, I-  
vy-leaved Italian Sow-  
bread.

Cymbalaria, bastard Navelwort.

Cynocrambe, Dogge Mercury.

flore albo, white flowered  
Hounds-tongue.

flore viride, criticum for-  
tè.

minus, small Hounds-tongue,  
non descriptum, Hounds-  
tongue not hitherto descri-  
bed.

vulgare, great Hounds-  
tongue.

Maranthæ, the supposed tree  
Cytissus or Horned tree Tre-  
foyle.

Cytisus primus Clusii, the German hoa-  
ry tree Trefoyle.

secundus Clusii, long-leaved  
Austrian Cytisus.

Cytisus

*Cytisus Marantæ sive Cytis scorpioides.*  
*Morini.*

D.

**D**Aucus vulgaris, wilde Carrot, or  
Birds-nest.

{ sc. *Consolida regalis*, flo:  
pleno cæruleo, wilde  
Larkspur with double  
blew flowers.  
flore pleno albo, Lark-  
spur with double white  
flowers.

**Delphinium**

flo: pleno carneo, Lark-  
spur with double bluish  
coloured flowers.

flore pleno albo cæru-  
lescente, double Lark-  
spur with white and  
blew flowers.

flore simpl: diversorum  
colorum, single Larke-  
spur of divers colours.

**Dens** } flore rubro, Dandelion with red  
} flowers.

**leonis** } flore albo, white Dandelion.

**vulgaris**, common Dandelion.

Dentaria

Dentaria	major, great-toothed violet Toothwort, or Lungwort, triphillon, Trefoile Corall- wort.
	pentaphillon, Cinquefoil Corallwort.
	Dentillaria Rondeletii, Plumbago Plinii, <i>Pliny's Leadwort.</i>
Digitalis	major flo:albo, great white Foxglove.
	major flo:purpureo, great purple Foxglove.
	angustifolio subluteo, jet- lowish small-leaved Fox- glove.
	variegata, striped Foxglove.
	ferruginea major & minor, great and small dun-co- loured Foxglove.
Dipsacus	Virginiana angustissimo folio Tradescanti. Nar- rowest leaved Virginian Foxglove.
	Hispanica ferruginea minor angustifolia, Morini.
	major, great wilde Teasell, or Venus Bason.
Dipsacus	minor, sim: Virga Pastoris, small wilde Teasell.
	vulgaris, common wilde Teasell. Doro-

	Romanum, great Dorenicum or mountain Marygold.
Doroni-	Americanum, Leopards bane cum } America.
	Romanum rotundifoli: gre- Dorenicum with round leave
	major flore luteo, Solidag- Saracenica, great yellow
Draba }	Cresse.
	repens flo: albo, creeping whi- Cresse.
	Draco herba, Taragon.
	Dracontium majus, Serpentaria, gre- Dragons.
Dulca-	i. Solanum lignosum flo: ca- ruleo, moody Nightshade.
amara }	flo: albo, white flowery Nigh- shade.

## E.

E	Bulus, Danewort, Dwarfe Elder.
	Echium vulgare, Vipers Bugloss.
	Dioscorid: five Veronica fe- minina Fuschii, female Fluell- or Speedwell.
Elatine }	Math: altera Dod:
	Endiviæ species varia, divers kindes Endive.

Ent.

Enula Campana, Helenium, Elecampane.

Epimedium, Barrenwort.

Epimedium fructicans Virginiana, sive hedera trifolia candensis cornuta

Epimelis, Dwarfe Medlar.

Marinum, Sea Horsetail-

majus palustre, great marsh

Equisetum } Horsetail.

prætense majus, great meadow Horsetail.

peregrina Clusii, Clusius his  
strange Rocket.

Eruca } Aragonica, great garden Rec-  
ket.

sativa, garden Rocket.

Constantinopolitanum, Sea-  
Holly from Constantinople.

planum, smooth Sea-Holly:  
flore luteo, Sea-Holly with  
yellow flower.

marinum vulgare, our ordinary Sea-Holly.

major Germanica, water Spurge.

montana, mountain Spurge.

Esula } minor, small Spurge.

hortensis, garden Spurge.

Evonimus Theophrasti, Prickwood, Spin-  
dle-tree.

	Novæ belgia.
Eupatorium	Scanabinum mas, Water hem or hemp Agrimony.
	Novæ Angliæ, hemplike A grimony of New England
Euphrasia,	Eyebright.

---

## F.

	fativa major albicans, great garde whitish Beans.
	fativa major rubicunda, great ga den red Beans.
Faba	minor alba, lesser white Beane.
	minor nigra, greater black Beane.
	Græca, sive pisum nigrum Cam rarii, the old Greekish Beane.
	Americanæ, American beanes.
Fago-triticum, id fagopyron, Dod:	frumentum Saracenicum, Buc wheat.
	Fagus, the Beech tree.
Ferrum Smajus, the greater Horshoe Vetc	
equinum	minus siliquis in summitate.
	Fennell=
Ferula	Galbanifera, gum-bearing Fe nelli.
	Festuca, wilde Oates.

Ficus Indicus minor, Opuntia, lesser Indian Figge.

Ficus Indica echinata elegans, Morini.

Ficūs diversæ species, severall kindes of Figges.

Filipendula vulgaris, Dropwort.

  | aquatica, vide Oenanthe.

  | florida, Osmunda regalis, Water-  
Ferne, or Sun-Royall.

Filix mas ramosa pinulis latis densis  
minutim incisis; common male  
Ferne.

  | ramosa major, sive fœmina, fe-  
male Ferne, or Brakes.

Flamula Jovis subrecta, upright Virgine  
Bower.

Flamulæ variæ.

  | Adonis, Flower of Love, Rose-a-  
Ruby.

  | Africarus major, great French  
Marigold.

  | Africarus minor, lesser French  
Marigold.

Flos Constantinopolitanus flore Mi-  
niato, Nonsuch or Flower of  
Constantinople.

  | Constantinop: flore rubro, Non-  
such with red flower.

  | Constantinop: flore pleno, double  
Nonsuch.

	Passionis; vel Maracoc: <i>Passion-flower.</i>
	Solis major, greater Sun-flower.
Flos	Solis prolifera, chilting Sunne-flower.
	Solis, semine nigro & variegato, Sun-flower with black and parti-coloured Seeds.
Fenicula	Fennell. dulce, sweet Fennell.
Fœnugrecum.	fructu rubro major, great red Strawberriy.
	fructu rubro minor, little white Strawberriy.
Fragaria	spinosa sive hispida, prickly Strawberry.
	na: Novæ Angliæ nondum descript: New England Strawberry.
	vulgaris, ordinary Strawberry.
	flo: albō minor, lesser white bastard Dittaine.
Fraxinella	flore pūpureo major, great purple Dittaine.
	flore rubro, bastard Dittaine with a red flower.

Fritillaria

{ flore rubro, red checkered  
Daffodill.

flore albo, the white Fritil-  
laria.

Fritillaria { flore luteo, yellow Fritil-  
laria.

vulgaris major & minor,  
common checker Daffodill  
the greater and the lesser.

Aquitanica flore gemino.

Frumenti Turcici variet: triplex.

{ Canadensis Epimedii folio.

Frutex { Coronaria flo: pleno, Syringa  
flore.

Fumaria vulgaris, Fumitory.

---

G.

{ flo: albo, white flowered Goats-  
rue.

flore cæruleo, blew-flowered

Galega { Goats-rue.

maj: flore cæruleo, great blew-  
flowered Goats-rue.

flore car: blush-coloured Goats-  
Rue.

Galeopsis, Hedge-nettle.

	<i>Gallium</i>	<i>flore luteo, Ladys bedstraw.</i> <i>Cheese-rening.</i> <i>flore albo, white-flowred La-</i> <i>dies bedstraw.</i>
	<i>Genista</i>	<i>Hispanica, Spanish Broome.</i> <i>Lusitanica, Portugall Broome.</i> <i>spinosa, Furze, Whins, Gorse.</i>
	<i>Genistella</i>	<i>needle Furze, or petty Whin.</i>
		<i>major, great Gentian.</i>
	<i>Gentiana</i>	<i>foliis Asclepiadis, Swallow-</i> <i>wort Gentian.</i> <i>Cruciata, Crosse-wort Gen-</i> <i>tian.</i>
		<i>Verna, Felwort of the</i> <i>Spring.</i>
	<i>Gentianella</i>	<i>Fugax autumnalis, ba-</i> <i>stard or dwarf Felwort</i> <i>Alpina Helvetica.</i>
		<i>Batracoides flore cæruleo,</i> <i>blew-flowered Crowfoot</i> <i>Cranesbill.</i>
		<i>Batracoides flo:albo, white-</i> <i>flowred Cranefill.</i>
		<i>Batracoides flore variega-</i> <i>to, strip-coloured Crow-</i> <i>foot Cranefill.</i>
	<i>Geranium</i>	<i>Ramanum variegatum, va-</i> <i>riable stript Cranefill.</i> <i>Fuscum, spotted Cranefill</i>
		<i>Geranium</i>

Virginianum, Virginian  
Cranesbill.

longius Radicatum, long-  
rooted Cranesbill.

Hæmatodes, sc: sanguinale,  
red or bloody Cranesbill.

Moschatum, musked Cranes  
bill.

Creticum, Candy Cranes-  
bill.

Indicum nocte odoratum,  
sweet Indian Cranesbill.

tuberosa radice, tuberous or  
bulbed Cranesbill.

non descriptum Dodonæi.

Arvense inodorum, corne

Cranesbill.

Gingidium, Chervill.

Bizantinus major flo: pur-  
pureo, great purple flow-  
red Gladiole from Con-  
stantinople.

Gladiolus minor flo: albo, small white-  
flowered Gladiole.

minor flo: purpureo, small  
purple Gladiole.

Indicus Suertii, Morin.

Glastum, sc: Isatis, Woade.

*Glaux* } *vulgaris leguminosa*, *wilde Li-*

quorice

, or *Liquorice Hatchet Vetch*.

*æstiva supina Lusitanica.*

*Glycyrrhiza*, *Liquorice.*

*Glycyrriza Brasiliensis.*

} *Americanum*, *Livelong*, or  
*Life-everlasting.*

*Anglicū longiore fol:* com-  
mon *Cudweed with long*  
*leaves.*

*Gnaphaliū* } *Indic:* *Indian Cudweed.*

*flore albo*, *white-flowered*  
*Cudweed.*

*minus repens*, *small Cud-*  
*weed.*

*vulgare*, *Cudweed, or Cot-*  
*tonweed.*

*arundinaceum*. ma: *five Ca-*  
*lamogrostis*, *Sheer-grasse*  
*wilde Reed.*

*striatum*, *striped Grasse.*

*plumosum*, *Vetched Grasse.*

*Parnassi*, *Grasse of Parnas-*  
*sus*, or *white Liverwort.*

*Alopecurinum majus*, *great*  
*Foxtail grasse.*

*Alopecurinum minus*, *smal-*  
*bastard Foxtail.*

*Tremulum, lupuli glumis.*

*Gramen* }

*Gramen*

Gramen } *Junceum sive bufoniū, Toad-*  
         } *grasse.*

} *Cyperoides, Cyprus grasse.*

} *Leucanthemum, Stichwort.*

Graminis aliæ diversæ species, divers  
other sorts of Grasse.

Gratiola, Grasse Poley.

} *maxima, greatest Goose-*  
         *berry.*

} *maxima longa, greatest*  
         *long Gooseberry.*

} *cærulea, blew Gooseberry.*

} *rubra major rotunda,*  
         *greater red round Goose-*  
         *berry.*

Grossularia } *media species longa,*  
                   *middle long sort of Goos-*  
                   *berries.*

} *rubra minor, small red*  
         *Gooseberry.*

} *spinosa, prickly Goose-*  
         *berry.*

} *vulgaris, the common Goose-*  
         *berry.*

Guaiacum Patavinum, Indian Date-  
Plum-tree.

Guavon from Barbados.

## H.

**H**Alicacabus sive Alkakenge, Winter-Cherryes.

Halimus arborescens, primus Clusii.

{ arborea, climbing or berried Ivy.

{ helix, barren or creeping Ivy.

Hedera } Virginiana, sc: vitis, Virginian  
Ivy, or Vine.

{ terrestris, ground Ivy or Ale-  
hoofe.

{ Clipiatum, French Huni-

Hedysarum } Suckle.

{ Peregrina, strange hatchet-  
Vetch.

Helleborine, wilde white Hellebore.

albus flore herbaceo.

albus flo:atrorubente, white  
Hellebore with a dark red  
flower.

niger verus serotinus, true  
black Hellebore.

Hellebo- } niger verus præcotior, early  
rus      true Hellebore.

niger flore viridi Bauhin:  
black Hellebore of Bauhi-  
nus with green flowers.

niger foetidus Bauhi: Bau-  
binus his blacke stinking  
Hellebore.

Helleborus niger ferulaceus, Fennell-  
leafed bastard black Hellebore.

Helleboraster, bastard Hellebore.

{ flore albo, Hepatica or Liverwort with white flower.

flore cæruleo major, greater blew Hepatica.

flore cæruleo minor, lesser blew Hepatica.

flore rubro, red Hepatica.

flore albo puncticulato, white speckled Hepatica.

Hepatica { flore violaceo multiplici,  
double violet-coloured Hepatica.

flore cæruleo multiplici,  
double blew Hepatica.

flore albo cum staminibus  
rubris.

cæruleo flore pleno altera,  
another double blew Hepatica.

{ Doria, Dorius his Woundwort.

Paris, Solanum quadrifolium  
bacciferum Bauhi: herb Paris,  
one berry.

Herba { Mimosa viva, sc: sensifica, sensible Plant or Herb of Life.

Mimosa altera sive humilis,  
humble Plant.

*Hermodactylus*, *Hermodactyls.*

*Herniaria*, *rupture-mort.*

*Hesperis Italica*, *Dames Violets of Italy.*

*medio nigrū*, smaller black  
*Hawkweed.*

*Hieracium lanuginosum flore luteo.*

*asperum*, rough Hawkweed,  
or yellow succory.

*majus*, Hawkweed.

*Hippoglossum*, *Horsetongue.*

*Hippolapathum*, *Monks Rubarbe.*

*Hippomarathrum Lusitanicum*, great  
*Portugall Fennell.*

*Hipposelinum*, *olus atrum*, *Allisanders.*

*Holoëtium* { *medium*, middle Toad-grass.  
*minus*, lesser Toad grass.

*Hordeum* { *spurium spontanum*, Wall-  
*Barley*, or wilde Rye.

{ *nudum*, bastard Wheat.  
*Hermophroditum.*

*sativum*, garden-Clary.

*sylvestre*, sive *oculus Christi*, wilde Clary.

*glutinosnm luteum*, sive co-  
lus *Jovis*, yellow wilde

*Horminum* { *Clary*, or *Jupiters Di-  
staffe.*

*Creticum*, forte aut *hormi-  
num exoticum Robini.*  
*Candy Clary.*

*Hormi-*

fylvestre Lusitan: flore albo, wilde Portugall Clary with white flowers.

Horminum } fylvestre Lusitan: flore cæruleo, wilde Portugall Clary with blew flowers.

Anglicus flore albo, & flo: purpureo, the White and purple Harebell or English Iacynth.

Anglicus flo: cæruleo, blew English Iacynth.

Anglicus flore cæruleo Dilutiore.

Angl: flore purpascente.

Angl: colore Amethystino, the Amethyst coloured English Iacynth.

Hyacinthus } Autumnalis major Indicus tuberosa radice, great Autumnne Indian knobbed Iacynth.

Botroides flore albo, white Muske grape flower.

Botroides flo:cæruleo, blew Muske grape flower.

Botroides flore violaceo, violet coloured Muske grape flower.

Brumalis, Winter Iacynth.  
Hyacin-

	comosus calamistratus purpleus.
	comosus calamistratus violaceus.
	comosus vulgaris, common-haired Iacynth.
	Orientalis flore albo Brumalis, white Winter Oriental Iacynth.
	Orient: flore cæruleo multiplici polyanthos.
	Orient: atro-rubens.
	Orient: caule foliosa, bushy stalked Oriental Iacynth.
Hyacinthus	Orient: flore cæruleo, blew Oriental Iacynth.
	Peruvianus flore albo stellaris, white starry Iacynth of Peru.
	Peruv: flore cæruleo stellaris, blew starry Iacynth of Peru.
	stellatus minor flore albo, small white starry Iacynth.
	stellatus flore cæruleo, Someridicta, blew starry Iacynth, or Somers starry Iacynth.
	stellatus flore purp: purple starry Iacynth.

Hyacin-

Autumnalis minor Angli-  
cus, small Autumnne En-  
glish Iacynth.

Paniculatus, Panicke Ia-  
cynth.

Hyacinthus Pyrenæus flore albo, white  
Pyrenean Iacynth.

Pyrenæus flore cæruleo,  
blew Pyrenean Iacynth.  
flore obsoleto Clusii, Clu-  
sini's whale Iacynth.

Indicus Bulbosus & tubero-  
sus, Morini.

Hyropiper, Arsmart.

albus rotundifolius, white  
roundleaved Henbane.  
niger, black Henbane.

Hyoscyamus luteus, Candy Henbane,  
vide Park: fol. 364.

Peruvianus, sc: Tabacum  
verum foeminæ.

albus medio purpureus.

Arborescens, Tree S. Johns  
wort.

non perfoliatum Ascyrum  
dictum, S. Peters wort.

Hypericum non perfoliatum Ascyrum  
villosum supinum dictum,  
creeping S. Peters wort.  
Baccife-

*Bacciferum*, scil: *Androsænum*, *Tutsan* or *Parke-leaves*.

*Hypericoides dicta* sive *Androsænum magnum*, *great S. Johns wort*.

*Pulchrum Tragi*, *upright S. Johns wort*.

*vulgaris*; *common S. Johns wort*.

*repens*, *creeping St. Johns wort*.

*tomentosum*, *woolly S. Johns wort*.

*Hypochæris*, *Swines Succory*.

*Sativa*, *garden Hyssope*.

*prolifera*, *childing Hyssope*.

*Hyssopus* *alba*, *white Hyssope*.

*tenuifolia*, *thin-leaved Hyssope*.

*comosa*.

- maxima odorata, greatest sweet-scented Knapweed.
- major lutea capite spinoso, greater yellow Knapweed with a prickly head.
- Jacea nigra, Knapweed Mate fellow.
- aetiva elegans, dainty Summer Knapweed.
- vulgaris, vel nigra, common Knapweed.
- marina vulgo cinerario, Sea Ragwort.
- vulgaris, common Ragwort.
- Jacobæa minor muralis, small Ragwort, or Seggrum.
- latifolia Bætica, broad-leaved Spanish Ragwort.
- Jasminum Hispanicum flo: albo vulg: common white Spanish Jasmine.
- Americanum amplio flore Phœniceo.
- Indicum flore luteo odorato, Morini.
- Jasminum Italicum luteum inodorum, unsavory yellow Italian Jasmine.

*Jasminum* } Persicum flo: violaceo, vio-  
let-coloured Persian Jas-  
mine.

*Iberis major*, sc: *lepidium*, great *Sci-  
atica Cresses*.

*Ilex*, the *Holme Oake*.

*Impatiens herba Dodonei*, sc: *Perficaria  
filiquosa*, wilde *Mercury*, called  
*Quick in hand*.

*Imperatoria*, common *Masterwort*.

*Irio*, sive *Erysimum*, *Banke-Cresses*.

*Illecebra minor acris*, v. *vermicularis*,  
*Stone-croppe*.

*Irides majores variae*, severall sorts of  
great *Fower de luce*.

{ *gloriosa*, the goodly *Flower de luce*.

*Susiana major*, the *Susian Flower  
de luce*.

*Clusii flore pleno*, large *Flower d  
luce of Clusius*.

*Iris* | *Clusii flore albo*, *Clusius his whit  
Flower de luce*.

*Clusii flo: cæruleo*, *Clusius his bler  
Flower de luce*.

*bulbosa Anglica major flore albo*  
great white *Bulbous English Fl  
wer de luce*.

*bulbosa Anglica flore cæruleo*, ble  
*Bulbous English Flower de luce*.

Iri

- Persica, Persian Flower de luce.  
bulbosa Africana, Bulbous African  
Flower de luce.  
bulbosa Anglica variegata, Bulbous  
English variable Flower de luce.  
Iris<sup>l</sup> bulbosa flore luteo, Bulbous yellow  
Flower de luce.  
palustris lutea, water Flower de  
luce.  
marmorata Romano, Roman Flower  
de luce.  
Iridis bulbosæ aliæ diversitatis, several  
sorts of Bulbous Flower de Luces.  
Irides humiles sive Chamæirides variæ,  
divers kindes of dwarfe Flower de  
Luces.
- Bacciferus, berry-bearing  
Juniperus } Juniper.  
minor, common Juniper-tree.  
Jucca Indica orientalis planta, East-  
Indian Fucca.  
Jucca Virginiana angustiore & brevio-  
re folio, The Virginian Fucca  
with shorter and narrower leaves.

## K.

- flore luteo pleno, double yellow  
Walflower.
- flore luteo virescente majus  
the greater greenish yellow Wal-  
flower.
- majus ferrugineo flo: ple: grea-  
Duncoloured double Walflower.
- Keiri** flore luteo simplex vulg: commo-  
single Walflower.
- flore albo simplex, white Wa-  
flower.
- flore pleno pyramidale, the sp-  
red double Walflower.
- flore pleno vulgare, commo-  
double Walflower.
- flore pleno auratū, double gilde-  
Walflower.

## L.

- g majus, greater Beane Tr.  
Laburnum foile.
- g minus, lesser Beane Tr.  
foile.

Lactuc

Aug: sativa, common garden  
Lettice.

Lactuca agnina latifolia, broad Corne-  
sallet, or Lambs Lettice.  
sylvestris, Endiviæ foliis, Endive  
leafed wilde Lettice.

major foliis pennatis, long-hea-  
ded Haresfoot.

Lagapus flore rubro, red flowered Hares-  
foot.  
vulgaris, common Haresfoot.

sylvestre flore albo, Archangel,  
dead Nettle.

Lamium sylv:flo: rubro, red Archangel.  
flo: luteo, yellow Archangel.  
Pannonicum flo: rubro, Hun-  
gary red Archangel.

Lampsana, Dock Cress.

sanguineum, bloodwort.  
Lapathū hortense, Monks Rubarb.  
acutum, common Dock.

Lappa major, vide Bardana.  
minor, sive Arctium.

	major latif: radice perpetua, great broad-leaved Chich- ling, or Pease everlasting.
	major angustifolius, grasse- leaved Chichling.
Lathyrus	arvensis repens tuberosus : Aplos Fuschii, Tragi, Terræ glandes, Pease. Earth nutts.
	angustifolius semine maculo- so, sc: Ægyptians common narrow-leaved wilde Chich- ling, or Ægyptian Chich- ling.
	sylv: mi: Catananes D.
	Æstivus flore luteo Lusitani- co. Reelii.
	major, sive vulgaris, garden Lavender.
	angustifolia, small spike La- vender.
Lavendula	flore cæruleo, blew-flowered Lavender.
	latifolia, broad leaved La- vender.
	multifida, jagged Laven- der.
	Laureola, Spurge Laurell.
	Laurocerasus, Cherry Bay.

Laurus vulgar: common Bay-tree.  
 tinus, wilde Bay.  
 tinus Lusitanicus, folio glabro,  
 smooth wilde Bay of Portugall.  
 Alexandrina vera, true Lau-  
 rell of Alexandria.  
 Gallica, French Bayes.

Lens palustris, wild Lentill, Ducks meat.  
 Lepidium piperitis, Pepperwort or Dit-  
 tander.

Leucojum bulbosum triphyllum, Bul-  
 bons-violet of three leaves.  
 bulbosum Hexaphyllum, Bul-  
 bons-violet of six leaves.  
 bulb: Hexaph: ma: polyan-  
 themum.  
 bulbosum majus, greater  
 bulbs-violet.  
 bulbosum minus, lesser Bul-  
 bons-violet.  
 arbor: flore pleno rubro,  
 double red stocke Gilli-  
 flower.  
 arbo:flo:pleno albo, dsuble  
 white stock Gilliflower.  
 arbo: flo: pleno purpureo,  
 double purple stock Gilli-  
 flower.

	farbo: flo: pleno rubro va- riegato, double striped red stock Gilliflower.
Leucojum	arbo: flo: pleno purpureo, double striped purple stock Gilliflower.
	marinum, Sea stock Gilli- flower.

*Levisticum, i. ligusticum, Lovage.*

*Libanotis, Theophrast: the true herbe  
Frankincense of Theophrastus.*

*Lichen, Liverwort.*

*Ligustrum, vulgare, Privet.*

*Lilia sphodelus* { flore luteo, yellow day Lilly  
flore pheniceo, the old red  
day Lilly.

{ flore albo, white red Lilly.  
album, white Lilly.

{ album latifolium, white Lilly  
with a broad leaf.

{ album polyanthemum Africana-  
num flor: multip: the white  
many flower African Lilly.

*Lilium* { Convallium flore albo, white  
Lilly Convall, May Lilly  
with white flower.

{ Convallium flo: rubello, scar-  
let Lilly of the Valley.  
flore luteo, yellow Lilly.

Lilium

Constantinopolitanum, *Lilly of Constantinople.*

Lilium { cruentum Bulbiferum, the red  
Bulbous *Lilly.*

rubrum, red *Lilly*, fiery red bul-  
bed *Lilly.*

candidum flore plenissimo,  
*Morini.*

Lilio Narcissus Indicus, *Morini.*

Lilac—Matthioli, Syringa, Pipe-tree.

Limonium minus angustifolium, small  
narrow-leaved Lavender.

Seamarch Bugloss, Park: 1234.

Linaria Soderata, sweet Flaxweed.  
vulgaris, common Toadflax:

Lingua cervina, Hearts-tongue.

Linum { sylvestre catharticum, Mill-  
mountaine.

{ vulgare sativum, garden-flax.

Lithospermū, Milliū solis, great Grum-  
bell.

Locusta Virginiana arbor, Virginian  
Locus tree.

Lolium Salbum, white Darnell.

{ rubrum, red Darnell.

arbor, Nettle tree.

{ arbor Virginiana, Virginian.

Lotus Nettle tree.

{ Libica, lesser pile Trefoile.

{ coronata maxima Hispanica.

*Lotus Tetragonolobus, Pisum quadratum, square codded Pease.*

*Lonchitis vulgaris, rough Spleenwort.*

*Lunaria minor, small Moonwort.*

*Salbus sativus, white garden Lupine.*

*cæruleus latifolius, medius angustifol:luteus, yellow Lupine.*

*Lupinus Indicus, Indian Lupine.*

*candidus ex Candio, white Lupine from Candy.*

*flo: cæruleo minor, lesser blem Lupine.*

*Lupulus Scultivus, garden Hops.*

*Sylvestris, wilde Hops.*

*Lutea Cretica, Would or Diers weed of Candy.*

*Lutum, herba luteola, Diers weed.*

*sylvestris flore albo multiplico, double wilde Campion with a white flower.*

*sylvestris flore rubro multiplico, double wilde Campion with a red flower.*

*Lychnis Chalcedonica flo: miniato plex: double flower of Bristol or Nonsuch.*

*Chalcedonica flo: miniato simplici single Nonsuch or flower of Bristol or Constantinople.*

*Lychius*

- Chalc: flo: albo, white *Campion*  
of Constantinople.
- Coronaria flore albo, white  
*rose Campion*.
- Coronaria flore rubro, red  
*rose Campion*.
- Lychnis Coronaria flore variegat: va-  
riable *rose Campion*.
- sylvestris flo: albo & flo: ru-  
tello, white and scarlet *wilde  
Campion*.
- Marina Anglica, *Sea rose Cam-  
pion*.
- sylvestris Pyrenæa, the *wilde  
Pyrenean Campion*.
- lutea, *yellow Willow Weed*.
- galariculata cærulea, *blew-  
headed Willow Weed*.
- spicata cærulea, *blew-spiked  
Willow weed*.
- filiquosa folio salicis, *codded  
Loosestrife, with Willow  
leaves*.
- Lysimachia Virginiana lutea, *yellow  
Willow herbe of Virginia*.
- purpurea spicata, *purple  
spikeheaded Loosestrife*.
- filiquosa sylvestris hirsuta, *hairy wilde codded Loose-  
strife*.

Lysimi-

*Lysimachia siliquosa glabra*, smooth-  
codde Willow-weed.

---

## M.

- |                 |                                                                                                                                                                                                                                                                                                                                                                                                        |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Majorana</i> | <i>annua nobilis</i> , the best year-<br>ly Marjoram.<br><i>nobilis perpetua</i> , the best e-<br>verlasting Marjoram.<br><i>nobilis perpetua foliis va-</i><br><i>riegatis</i> , the perpetuall best<br><i>changeable Marjoram.</i><br><i>vulgaris foliis luteis</i> , the<br><i>common yellow Marjoram.</i><br><i>Anglica semper virens</i> , the<br><i>ever green English Mar-</i><br><i>joram.</i> |
|-----------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

*Mali domesticæ species variæ*, very many  
sorts of choice Apple-trees.

- |              |                                                                                                                                                                                                                                                                                                                                                                             |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <i>Malva</i> | <i>Indica arborescens</i> , Indian tree<br><i>Hollieock.</i><br><i>major vulgaris</i> , great ordinary<br><i>Mallow.</i><br><i>pumila</i> , the small Mallow.<br><i>flore luteo ex Tartariâ</i> , Tarta-<br><i>rian yellow Mallow.</i><br><i>Crispa</i> , French Mallows.<br><i>hortensis diversorum colorum</i> ,<br><i>garden Mallomes of divers co-</i><br><i>lours.</i> |
|--------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

*Malva*

Malva	maxima Hispanica striata, great Spanish striped Mallow.
	segetum Lusitanica, the Portuguese gall corn Mallow.
	aurantium major, great Orange-tree.
Malum	limonium, Lemon-tree.
	granatum, Pomegranat-tree.
	Cinsatum fructu purpureo.
Mandragoras,	Mandrake.
Marrubium	album vulgare, common Horehound.
	nigrum, Ballote, stinking black Horehound.
Marum,	herb Mastick.
Martagon	Pannonicum spadaceum, bright red Martagon of Hungary.
	Pomponii, Martagon Pompony, or early red Martagon.
	flore albo punctato, the white Martagon.
Matricaria	flore pleno, double Fetherfew.
	bullato flore, naked Fetherfew.
	flore simplice vulgaris, common Fetherfew.

Medica	spinosa major, greater thorny Medica or Claver.
	transversis spinis, the prickly Medick.
	scoparia, the brush Medick.
	eligans Catalonica, dainty Ca- talonian Claver.
	minor spinosa, lesser thorny Cla- ver.
	doliata echinata, the tublike- hedghog Medick.
	doliata ramosa, the tub branch- ed Medick.
	clypeata, the helmet Medick.

*Melampyrum album*, white Cow-wheat.

Melilotus	Italica flore luteo, Italian Mellilote with yellow flow- er.
	Hispanica flore albo, Spa- nish Mellilote with White flower.
	arborescens flore albo, tree- Mellilote with white flow- er.
Melissa	vulgaris, common Mellilote.
	Turcica flore albo, Turkie- Balme with white flower.
	vulgaris, common garden Balm.

citrata sive Ocimi odore, the  
Basil smelling Mint.

Mentha crispa, crisped or curled Mint.

hortensis, garden Mint.

Mentastrum niveū Anglicū, the white  
English wilde Mint.

vulgare, common wilde  
Mint.

mas, French male Mercury.

foemina, French female Mer-  
cury.

Mercurialis Anglica, bonus Henricus,  
English Mercury.

fructu magno, great Med-  
ler.

fructu medio, middle sort of  
Medler.

Mespilus vulg: seu minor, ordinary  
small sort of Medler.

aronia Neopolitana, Med-  
ler of Naples.

Meum athamanticum, Mew or Spignell.

Mezeræon Salbum.

rubrum.

semine nigro, black Millet.

semine flavo, Millet with yel-

Milium low seed.

album, common white Mil-  
let.

Mille-

	<i>majus album</i> , great white flowered Tarrow.
	<i>ma:purpureum</i> , great purple Tarrow.
	<i>minus luteum</i> , small yellow Tarrow.
<i>Millefoliū</i>	<i>atro rubente flore</i> , ruddy black Tarrow.
	<i>vulgare</i> , Tarrow, or Milfoile.
	<i>sive Maratriphyllum</i> , flore & semine Baccunculi a quat: water-Fennel, Crow foot, Milfoile.
<i>Millegrana</i> , <i>Allseed.</i>	<i>flore albo &amp; purp:</i> Marvel of Peru with white and purple flowers.
<i>Mirabilia Peruviana</i>	<i>flore luteo &amp; rubro</i> , Marvel of Peru with yellow and red flowers.
	Mirabilia from Barbados.
	<i>Moly</i> or wilde Garlick.
<i>Moly</i>	<i>Virginianum Bauhini</i> , Bauhinia Virginian Moly.
	Mollugo, Madder.
	Morsus Diaboli, Devils bit.
	Morsus Ranæ, Frogge bit.
	Mori

*nigra, black Mulbury.*

*Morus* *alba, white Mulbury.*

*Virginiana, Virginian Mul-*  
*bury.*

*terrestris vulgaris, common*  
*Mosse.*

*terrestris scoparius, Beesome*  
*Mosse.*

*Muscus* *Pixidatus, Cuppe or Chalice*  
*Mosse.*

*clavatus, club Mosse.*

*arboreus, tree Mosse.*

*filicinus, Fern like Mosse.*

*Coralloides, Coraline Mosse.*

*Muscaria* *flore luteo.*

*flore albo.*

*Myagrum monospermon, one grain'd gold*  
*of pleasure.*

*Scorpoides palustris: Water-*

*Myosotis* *Scorpion grasse.*

*scorpo: arvensis, Mouseare*

*Scorpion grasse.*

*Myrrhis sativus, sweet Ferne.*

*Latifolia, great leaved Myrtle.*

*Myrtus* *Angustifolia, small Myrtle.*

*florida.*

## N.

*Napellus*, *Monkes hood.*

medio Croceus, meane yellow Daffodill.

Anglic: flo: pleno Wilmot: Wilmots double Daffodill.

roseus maximus flore pleno Tradescanti, Tradescant's great rose Daffodill.

Africanus odoratus, sweet Daffodill of Africa.

Africanus major præcox, great early African Daffodill.

*Narcissus* Indicus Jacobæus, Indian Daffodill.

Capa bonæ spei, Daffodill from the Cape of good hope.

tertius Matthioli, great white sea Daffodill.

Montis Carmeli, Daffodill from Mount Carmel.

Virginianus, Virginian Daffodill.

medio fimbriatus, mean ringed Daffodill.

Robinus major.

Nar.

- Indicus bifolius flore rubro,  
squamosâ radice, *Morini.*  
juncifolius luteo flore pleno,  
great yellow rush *Daffodill.*  
humilis, dwarfe *Daffodill.*  
reflex flo: lut: yellow *Daffodill*  
whose flowers turn upwards.  
relex flo: albo, white turning  
*Daffodill.*  
oblong: calice flo: luteo, yellow  
*Daffodill with a long cup.*  
oblong: calice flore albo, white  
*Daffodill with a long cup.*  
calice brevi, short cupp'd *Daffo-*  
*dill.*
- Narcis-  
sus titesose.  
va Hecuus:  
omnium maximus, great Non-  
such *Daffodill.*  
montanus, mountaine *Daffo-*  
*dill.*  
Non-pareil flore albo, white  
peerlesse *Daffodill.*  
Non-pareil, Nonpareill or peer-  
lesse *Daffodill.*  
Constantinopolitanus, *Daffa-*  
*dill from Constantinople.*  
totus albus, milk-white *Daffo-*  
*dill.*

Narcissus Matinesse, the *Lady Matinesse's Daffodill.*

Lilio Narcissus Indicus, *Morini.*

Narsturtium	Indicum, <i>Indian Cresse.</i>
	hortense crispum, <i>curled garden Cresse.</i>
	hort:angustifelium & latifolium, <i>great and small leaved Cresse.</i>
	Hyemale, sc: <i>Barbaræa, Bank-Cresse.</i>

Nepeta, *Mentha Cattaria, Neppe.*

Nicotiana, *English Tobacco.*

Nidus avis	<i>sive Satyron abortivum;</i>
	<i>Birds nest.</i>

Nigella	<i>flo: pleno, double Nigella.</i>
	<i>citrina, yellowish seeded Nigella.</i>

Nummularia	<i>flo: simplici, single Nigella.</i>
	<i>Romana, Fenell flower, or Roman Nigella.</i>

Nux	<i>major, great Moneywort.</i>
	<i>minor, flore purpurascente.</i>

Juglans	<i>juglans Virginiana, Walnut of Virginia.</i>
	<i>vesicaria, Bladder-nut.</i>

Juglans	<i>castanea Equina, Horse-Chesnut.</i>
	<i>Juglans Canadensis, Walnut of Canada.</i>

Juglans

- Nux < Juglans Angliæ novæ, Walnut  
of New England.  
Juglans major, great Walnut.  
Juglans minor, small Walnut.
- 

## O.

- Ocimum } vulgare, common Basil.  
Ocimum } sylv:five Clinopodium vu'g:  
          wilde Basil.  
Oculus Christi, wilde Clary.  
Oenanthe } bulbosa marina venenosa,  
          the poysorous sea Dropwort.  
          aquatica, water Dropwort.  
Olea } sativa, manured Olive.  
Olea } sylvestris, Wilde Olive.  
      Bohemia, Bohemian Olive.  
Oleander } flore albo, Rose-bay with  
          white flowers.  
Oleander } flore rubro, Rose-bay with  
          red flowers.  
Olus album, Dad.  
Onobrichis } caput Gallinaceum, Cock-  
          shead.  
          flore purpureo, purple Cock-  
          shead.  
Ononis, non spinosa Pyrenæa, the smooth  
Pyrenean harrow.

	non spinosa oderata flore luteo, sweet smooth Rest-harrow with yellow flowers.
Ononis	non spinosa æstiva minor flore luteo, small smooth Summer Rest-harrow with yellow flowers.
	spinosa, prickly Rest harrow.
Ophyoglosson,	Adders tongue.
Ophrys,	sive Bifolium, Tway blade.
	melissias, Bee Orchis, or Satyrion.
	albo calcare oblongo, sive Testiculus Vulpinus, Gnat Satyrion.
	flore albo odorato, Lady Traces.
Orchis	flo: luteo odorato, Lady Traces with yellow flower.
	palmata montana maculata, white-handed Orchis.
	palmata palustris latifolia, Marish Satyrion.
	palmata palustris maculata, spotted Marish Satyrion.
	Anglicanum, wilde Marjoram.
Origanum	fistulosum Canadense.
	verum Hispanicū, true Spanish Marjoram.

{ Neopolitanum maj: great  
Sarre-flower of Naples.

Arabicum, Starre-flower of  
Arabia.

Ornitho- { galum majus flo: albo, great white  
Starre-flower.

purpureum, purple Starre-  
flower.

spicatum, spik'd Starre of  
Bethlehem.

Ornitho- { majus, great Birds foot.

podium { minus, small Birds foot.

Orobus } Venetus, blew upright everlasting  
sing Pease.

Osmunda regalis, Filix florida, water-  
Ferne, or Osmund Royall.

Oxyacan- { tha Dioſcoridis, ſpina alba ma-  
jor.

{ Gal: ſpina acuta Dod: vulg:  
Berberis.

{ berberis absque nucleis.

Oxys trifolia } flore albo, wood-Sorrell  
with white flower.

{ flore luteo carniculato,  
yellow flowered Wood-  
Sorrell.

P.

*Paliurus, Christ's Thorne.*

*Palma Christi* { *mas, male hand Orchys.*  
*scœmina, female hand Orchys.*

*Pœonia* { *mas flore simplici, single male Piony.*  
*scœmina flore simplici, single female Piony.*  
*scœmina flore pleno, double female Piony.*  
*flore pleno incarnato.*  
*flore purpureo, purple Piony.*

*Panax coloni, Clowns Altheæle.*

*Pappas* { *solanum tuberosum Esculentū*  
*Bauhin: Virginian Potatoes.*  
*Americanum flore albo, white flowered American Potatoes.*  
*Amer: flo: purp: Potatoes from America with purple flower.*  
*spumeum, sive Behen alb: spangling Poppy.*  
*rhæas flore luteo radice perpetua.*

*Papaver* { *rhæas, flore simplici, single Poppy.*  
*rhæas flore duplici, double Poppy.*

Papa-

{ nigrum capit: rotundis.

Papaver } corniculatum flore luteo, horn  
Poppy.

{ rhæas, red Poppy, Corn rose.

{ flore viridante simplic: single  
green Cowslip.

Paralyfis } fatua, foolish Cowslip, or Jack-  
an-Apes on Horsback.

{ inodora geminata, double Ox-  
lips, or Hose in Hose.

{ flo: & calice crispo, curled  
Cowslips or Gaskins.

Parietaria, Pellitory of the Wall.

Paronychia } folio alsine vulgaris, Chick-  
weed, whitlow Chickweed.

Rutæ folio altera Ger: se-  
dum, Rue whitlow grasse.

latif: sativa, garden Parsnip.

latifol: sylvestris, great wilde  
Pastinaca Parsnip.

Aquatica, sc: Sium Dioscori-  
dis, water Parsnip.

Pathenium, Feverfew.

Pecten veneris, Shepherds Needle, or Ve-  
nus Combe.

Pedicularis } rubra, red Ratle, or Louse-  
wort.

{ pratensis lutea, yellow Ratle  
Coxcombe.

Penta-	phylon	<i>selatum &amp; heptaphyllum luteū</i> <i>erectum.</i>
		<i>repens vulg: flore luteo, yellow</i> <i>creeping Cinquefoyle, or Five-</i>
		<i>leafed grasse.</i>
		<i>minus, small Cinquefoyle.</i>
Pepo		<i>ruber palustre, marsh Cinque-</i>
		<i>foyle.</i>
Perchpier		<i>Americanus luteus, yellow Pom-</i>
		<i>pian from America.</i>
Perfoliata		<i>Americanus viridis, green Ame-</i>
		<i>rican Pompian.</i>
Perfoliata		<i>Anglorum, Parsley breake-</i>
		<i>stone.</i>
Perfoliata		<i>vulgaris, common Thorow-</i>
		<i>max.</i>
Pericly-		<i>rectum 2. Clusii, upright Wood-</i>
		<i>bine.</i>
menum		<i>fructu ceracino.</i>
		<i>hortense, garden Woodbine.</i>
Persicaria		<i>Germ: flo: rubro, red Woodbine.</i>
		<i>sylvestris, wilde Woodbine.</i>
Persicaria		<i>Dogs bane.</i>
		<i>filiformis, coddled Arsmart.</i>
Persicaria		<i>maculosa, flore albo &amp; ru-</i>
		<i>bro, spotted Arsmart with</i>
Persicaria		<i>white and red flower.</i>
		<i>urens, flore albo &amp; rubro,</i>
Persicaria		<i>white and red quick Arsmart.</i>
		<i>Persica-</i>

Persicaria, Virginiana, Virginian Arsmart.

Petasitis, Butter-burre.

Petroselinum, vide Apium.

Peucedanum, Hogs-fewell, or Sulphurwort.

Phalan-

gium } Alobrogum Clusii, Savoy Spider-wort.

Phalaris } Virginianū Tradescanti, Tradescants Virginian Spiderwort.

} sativa, Canary seed.

Phaseo-

lus } Indicus flo: miniato, semine nigro.

} Indicus flore miniato semine variegato.

Phaseolorum variæ species.

Philyrea angustifolia, narrow-leaved mock Privet.

Phyllitis } vulg: lingua Cervina, Harts-tongue.

} multifida, finger Harts-tongue.

Pilosella } major Dod: great Mouse-ear.

} repens, creeping Mouse-ear.

} five sanguisorba maj. great Burnet.

Pimpinella } sanguisorba min: small or little Burnet.

} saxifraga, Burnet saxifrage.

Pim.

	<i>sativa</i> , garden Burnet.
Pimpinella	<i>agrimonoides</i> Colum. <i>sylv: vulg:</i> common Burnet.
Pinus	Pine tree.
Pinaster	dwarfe Pine tree.
Pirola	Winter green.
	<i>Smilacis folio.</i>
Pistolochia	<i>Virginiana</i> , Virginian Snake weed.
Pisum	<i>perenne</i> , Pease everlasting. <i>bacciferum.</i> <i>maculatum</i> , spotted Pease. <i>majus</i> , rounnvall Pease. <i>minus</i> , field Pease. <i>quadratum</i> , lotus quad: square Pease. <i>vulgare</i> , garden Pease.
	<i>major rosea</i> , great rose Plan- tane.
	<i>rosea spicata</i> , five quinque <i>nervia rosea</i> , spiked rose Rib- wort.
Plantago	<i>serato folio</i> , Plantane with dented leaves. <i>aquatica major</i> , great water Plantane. <i>aquatica minor</i> , small water Plantane. <i>vulgaris</i> , common Plantane.
Plantanus	Plane tree.

Polium montanum, Poley mountaine.

{ Valentina, 1. Clusii, ever-green  
Sene of Valentia.

Polyga- { Valentina, 2. Clusii.

la } flore cæruleo, blew Milkwort.

{ flore albo, white Milkwort.

{ flore rubro, red Milkwort.

{ majus, sigillum Solomonis,

broad leafed Solomons seal.

angustifoliū, narrow leafed  
Solomons seal.

Polygona- { minus, small Solomons seal.

tum } racemosum Virginianum,  
cluster like Solomon's seal  
of Virginia.

alterum.

vulgare, Solomons seal.

{ marinum Lobelii, Lobel's sea-  
Knotgrasse.

Polygo- { mas vulgare, common Knot-  
num } grasse.

{ selinoides, Perpierre Anglorū,  
Parsley Pert.

Pomum aureum, fructu luteo, Morini.

Prickly Costard, apple from Barbados.

Poma amoris, Apples of Love.

Pomum amoris medium, middle-sized  
Apples of Love.

Pomum amoris fructu Phœnicio rubro,  
Morini.

Populus

	<i>Salba Virginiana Tradescanti;</i> <i>Tradescant's white Virginina</i> <i>Poplar.</i>
<i>Populus</i>	<i>alba, white Poplar tree.</i> <i>nigra, black Poplar tree.</i> <i>tremula, sive Lybica, the A-</i> <i>spen tree.</i>
<i>Porrum vulgare</i>	<i>common Leeks.</i>
	<i>marina, sea Purslan.</i>
<i>Portu-</i>	<i>sativa, garden Purslan.</i>
<i>Iaca</i>	<i>aquat: sive Alsine rotundifol:</i> <i>water Purslan.</i>
	<i>angustifol: small Pond-</i>
<i>Potamogeton</i>	<i>wed.</i>
	<i>latif: great Pondweed.</i>
<i>Potentilla</i>	<i>sive Argentina, wilde Tansey.</i>
	<i>veris, flore albo, white Prim-</i>
	<i>rose.</i>
	<i>veris, albo, flore pleno, double</i> <i>white Primrose.</i>
	<i>veris, flore pleno viride, double</i> <i>green Primrose.</i>
	<i>veris, angustifolia flore albo,</i> <i>narrow leaved white Prim-</i>
<i>Primula</i>	<i>rose.</i>
	<i>veris, angustifolia flore rubro,</i> <i>narrow-leaved red Primrose.</i>
	<i>veris, flo: viridi &amp; albo simpl:</i> <i>single green and white Prim-</i>
	<i>rose.</i>
	<i>Primula</i>

- Primula } veris major, field Cowslips.  
Primula } veris minor, field Primrose.  
Primula } veris vulg: flore purpureo;  
          } purple Primrose.  
Prunus } sylvestris, Bullace tree.  
Prunus } sylvestris fructu minore serotino,  
        } the Sloane tree, or blacke  
        } Thorne.  
Prunus } Myrobolanus, purging Indian  
        } Plumme.  
Prunella } flore albo, white Selfeheale.  
          } vulgaris, Selfeheale.  
Pseudo-Dictamnus, bastard Dittany.  
Pseudo Narcissus vulgaris, our common  
    } English wilde bastard Daffodill.  
Pseudo Rhabarbarum, Rhabarbarum  
    } Monachorum, Monks Rhubarbe.  
Psyllium, Coniza, Fleawort.  
          } flore pleno, double flowered  
          } Sneezwort.  
Ptarmica } vulgaris, Sneezwort, bastard  
          } Pellitory.  
          } flore duplii, Morini.  
          } Regale, great Penyroyall, Pud-  
          } ding grasse.  
ulegium } minus vulgare, small Peny-  
          } royall.  
          } Cervinum, Harts Penyroyall.

<i>Pulmonaria</i>	flore albo, white-flowered <i>Lungwort.</i>
	flore purpureo maj: Germanicum.
	flore purpureo vulg: common purple flowered Lungwort.
	Gallorū Hieralitis, the lesser French or golden Lungwort.
	maculosa, spotted Lungwort.
<i>Pulsatilla</i>	flore violaceo, purple Pasque flower.
	vulgaris, single Pasque flower.
	vulg: ever-green Thorne.
<i>Pyrocantha</i>	Virginiana ma:non hyemalis virescit.

## Q.

*Quercus vulgaris, common Oake.*

*Quinque* { *vulg: common Ribwort.*  
*nerva* { *Rosea, rose Ribwort.*

*Qamoclet Indorum.*

*Rad.*

## R.

- Radix { cava major flore purpureo, great  
purple Hollow root.
- cava minor flore albo, small white  
Hollow root.
- cava vulgaris, common Hollow root.
- albus flore pleno, double white  
Crowfoot.
- arvensis echinatus flore luteo,  
yellow rough-headed Crowfoot  
of Fallow-field.
- aquatilis, water-Crowfoot.
- Asiaticus sangu: flore pleno,  
double Asian Crowfoot with a  
blood-red flower.
- Ranunculus { Asiat:tenuifol:pleno flo:luteo,  
thin-leaved Asian Crowfoot  
with double yellow flower.
- Asiat: flore albo, white Asian  
Crowfoot.
- Lusitanicus odoratus flore du-  
plici, Morini.
- Asiaticus flore rubro, red A-  
sian Crowfoot.
- Asiat: flore luteo, yellow Asian  
Crowfoot.
- Asiat: folio papaveris, Asian  
Crowfoot with a Poppy-leaf.

Ranunc-

	Asiat: Drape de argentine.
	Illyricus, <i>Crowfoot of Sclavonia.</i>
	Illyricus major, greater <i>Crowfoot of Sclavonia.</i>
	radice grumosa, folio rutæ, flo: pleno.
	aquaticus hederaceus luteus , <i>Ivy leaved water-Crowfoot.</i>
Ranun- culus	hortensis flore luteo pleno , double yellow garden-Crow- foot.
	vulg: repens flore pleno, com- mon creeping <i>Crowfoot with</i> <i>double flower.</i>
	pratensis, meadow <i>Crowfoot.</i>
	Virginianus , <i>Virginian Crow- foot.</i>
	albus multiflorus, double white <i>Crowfoot.</i>
	Globosus, <i>Globe Crowfoot.</i>
	Aquaticus, <i>water-Radish.</i>
Raphanus	Rusticanus, <i>Horseradish.</i>
	niger per annū, <i>black Radish.</i>
	sativus, <i>garden-Radish.</i>
	Rapistrum arvorum, <i>Charlock.</i>
	Radice rotunda, <i>round Turnips.</i>
Rapum	Radice oblonga, <i>long Turnips.</i>
	Radice lutea, <i>yellow Turnips.</i>
	Rapantium, <i>Rampions.</i>
	Rha capitatum folio enulæ, <i>Morini.</i>
	Reseda

	major, great base wilde Rocket.
Reseda	ma: Italica flore albo, Italian Rocket with white flower.
	minor, flore albo lutescente.
Rhabarbarum	verum, true Rubarbe.
Rhamnus	min: Dioscoridis, small Buck-thorne.
	Catharticus, Buckthorne.
Rhus Plinii myrtifolia	Monspeliensium,
	Virginian: Jasmini foliis.
Ribesium dulce,	sweet wilde Currans.
	fructu rubro, red Currans.
Ribes	fructu albo, white Currans.
	fructu nigro, black Currans.
	fructu spinoso, prickly Currans.
Ricinus	Austrica flore Phœnicio,
	Palma Christi of Austria, or
	great Spurge with Vermilion-flower.
Rorella, sc:	Ros solis, Sun-dew, or Rosa solis.
	Provincialis, Province Rose.
	Provincialis flore albo, white Province Rose.
Rosas	Provincialis flore rubro, red Province Rose.
	vitreensis flore pleno.
	Incarnata, carnation Rose.
	flo: pleno luteo, double yellow Rose.

- fiore luteo simplici, single yellow  
 Rose.  
 muscata flore pleno; double Muske  
 Rose.  
 Italica, sive muscata flo: simp: single  
 Muske Rose.  
 Cynamonia flore pleno, Cinamon  
 Rose.  
 Cinamonia flore albo, white Cina-  
 mon Rose.  
 Francofurtiana, Frankford Rose.  
 Batavica.  
 alba variegata, white variable Rose.  
 flo: pleno elegans variegata, dainty  
 double variable Rose.  
 Rosa flore simplici pomifera; single apple  
 Rose.  
 Virginiana, Virginian Rose.  
 Moscovita, Moscovie Rose.  
 canina flore pleno, double Dogrose.  
 canina flore simplici, single Dogrose.  
 Eglanteria flore pleno, double Eg-  
 lantine or sweet-Bryerbush.  
 Eglanteria flore simplici, single Eg-  
 lantine Rose.  
 holoferica, velvet Rose.  
 semper virens, ever-green Rosebush.  
 flore rubro, red Rose.  
 flore albo, white Rose.  
 Damascena, Damaske Rose.

Rosa

Rosa } mensalis, monthly Rose.  
Warneri, Warner's Rose.  
Rosa } sylv: pimpinellæ folio, Burnet Rose.  
Austriaca flore Phœnicio, Vermi-  
lian Rose of Austria.  
Hieorchuntina.

Rosmari- } Cotonarius latifolius, great  
nus } Rosemary.  
 } Coronarius angustifolius,  
 } narrow leafed Rosemary.  
 } foliis aureis, gilded Rose-  
 } mary.  
 } foliis argenteis, silverd Rose-  
 } mary.  
 } Coronarius maximus.

Rubia } major tinctorum, great garden-  
 } Madder.

Rubia } minor, small Madder.  
 } sylvestris.

Rubus } Idæus fructu albo & rubro, white  
 } and red Raspberries.  
 } Idæus non spinosus, gratissimo  
 } odore flo: purpureo.  
 } sylvestris, the Bramble-bush, or  
 } Blackberry-bush.

Ruscus, Bruscus, Oximersine, Butchers  
Broome.

Ruta } Shortensis, garden-Rue.  
 } muraria, sive salvia vita, Wall-  
 } Rue.

*Ruta pratensis*, sive *Thalictrum*, meddow-Rue.

S.

- baccifera*, Berry-bearing Savin.
- Sabina vulgaris*, sive *stirilis*, barren Savin.
- stirilis cupressi facie*.
- Sagita-* { *major*, broad Arrowhead.  
*ria* { *minor*, small Arrowhead.
- Saginae* *spergula*, Spurry.
- humilis angustifolia*, the Osier.
- caprea rotundif*: round-leaved Willow, or great Goats-Willow.
- Sa-* { *caprea latifolia*, broad or rather long-leaved Willow, small Goats Willow.
- vulgaris arborescens longis, angustis foliis*, common Willow.
- variegata*, painted Sage.
- hortensis rubra*, red garden-Sage.
- hortensis viridis*, green garden-Sage.
- Salvia* { *major foliis crispis*, great crised Sage.
- minor odoratissima*.
- Lagrestis*, Wood Sage.

Sambu- cus	aquatica, water-Elder.
	vulgaris, common Elder.
	aquatica simplex, single marsh- Elder.
	Rosea, sc: aquatica multiplex Ro:the Gelder Rose.
	laciniatis foliis, jagged Elder.
Sanicula	vera vulgaris, Sanicle.
	alpina guttata, five Auricula ursi, spotted Sanicle of the Alpes.
	Hispanica guttata, Spanish spot- ted Sanicle.
Saponaria	flore pleno, double Soapwrt.
	flore simplice, single-flowered Soapwort.
	Alpina flo: pleno, double Soap- wort of the Alpes.
Satureia	concava sc: exautica folio cau- lem obtigentem R. hallow- Felwort or Soapwort.
	Semper virens, Winter-Savory.
	Cannua, Summer Savory.
Satyrion,	vide Orchys.
Saxifraga	alba, white Saxifrage.
	aurea, golden Saxifrage.
	Anglicana alsine folio, En- glish Saxifrage with Chick- weed-leaves.

- Angl: umbellata sc: facie seseli,  
 common Saxifrage.  
 pimpinella major, great burnet  
 Saxifrage.  
 pimpinella minor, small burnet  
 Saxifrage.  
 Hispanica major, great Spanish  
 Scabious.  
 Hispanica Clusii, Clusius his  
 Spanish Scabious.  
 Indica, Indian Scabious.  
 Scabiosa Indica Clusii, Clusius his Indi-  
 an Scabious.  
 major, common Scabious.  
 minor, small Scabious.  
 minor, sive Ovilla, Sheeps Sca-  
 bious.  
 Scammonium, Scamony.  
 Scandix, Pecten Veneris.  
 Scolopendria, Ceterah, Spleenwort.  
 Scordium, water Germander.  
 portulacæ folio, Scorpions  
 grasse with Purslan leaves.  
 bupleurifol: siliq: crassa to-  
 rosa, smooth-codded thick  
 Caterpillers.  
 min: small Scorpions grass.  
 minor elegans, dainty small  
 Scorpions grasse.

Scor-

Sive Viperaria.

*Sangustifolio*, narrow-leaved

*Vipers prasse*.

*Constantina tuberosa* radi-

ce flore carneo, *Morini*.

*montis Serrati*, *Tradescant*

his strange Figwort.

*vulgaris*, Brown wort.

*Pannonica Clusii*, *Clusii*

his Hungarian Figwort.

Secale, Rye.

*minor*, small hatchet Vetch.

*major*, great hatchet Vetch.

*perigrina Clusii*, strange

hatchet Vetch.

*majus*, great Housleek.

*Arborescens*, tree-Housleek.

*elegans*, dainty Housleek.

*majus hæmatoides*, Prickmad-  
dam.

Sempervivi variae species non vulgares,

*Morini*.

Senecio, Erigerum, Groundsell.

*vulgare*, common wilde Time.

Serpillum *citratum*, Lemmon-Time.

Serpentaria, grasse Plantane.

Serratula, Sawwort.

- { *Aethiopicum trutex*, shrub Hartwort of *Aethiopia*.  
*Seseli* } *Massiliense*, Hartwort of *Marselles*.  
 { *reticum sc:caucalis vera*, Hartwort of *Candy*.  
 { *humilis lato obtuso folio*, petty Albeale.  
 { *prima herba Judaica*, Jewes Ironwort.  
 { *Anglica strumosa radice*, sc: *Panax Colon*, Clowns Woundwort, or *Clownes Albeale*.  
 { *sativum*, garden Mustard.  
*Sinapi* } *sylvestre*, wilde Mustard.  
 { *astilia novæ*.  
 { *semine albo*, white Mustard.  
*Sifarum*, Skirrets.  
*Sison*, *Petrosolinum Macedonicum*, bastard stone-Parsley.  
 { *aspera folio rotundo*, prickly Birdweed with a round leafe.  
*Smilax* } *aspera folio maculato*, spotted prickly Birdweed.  
 { *aspera levigata*.  
*Smyrnium Creticum*, Candy Alexander.  
 { *lethalie*, deadly Nightshade.  
*Solanum* } *hortense* garden Nightshade.  
 { *lignosum*, sc: Dulcamara, bitter-Sweet, or Woody Nightshade.  
 { *Sola-*

Solanum arborescens Virgin: Virginian tree Nightshade.

Soldinella } Alpina, mountain Birdweed.  
 } vulgaris.

Solidago Saracenica, Saracens confound.

Asper vulgi, prickly Thistle.

Sonchus } lœvis laciniatus vulgaris, com-  
 } mon Sowthistle.

lœvis latifol: broad-leaved Sow-  
 thistle.

Sophia Chirurgorum, Flix weed.

torminalis, common Service-  
 tree.

Sorbus } sylvestr: Alpina, ornus, Quicker-  
 } tree, Roane-tree, Wilde Service-  
 tree.

Sparga- } ramosum Angl: branched En-  
 num } glish Burweed.  
 } ram: Virgin: branched Virgi-  
 nian Burweed.

Spartum Anglicanū, great English Mat-  
 weed or Helme.

Speculum Veneris, Venus Lookingglasse.

Spinacia, Spinage.

Spina Solstitialis, Carduus Solstitialis.

Spodylium, Cow-Parsnip.

Stæchys

- Arabica, Arabian base Hore-  
 bound.  
 Cririna.  
 Stachys Hispanica, Spanish base Hore-  
 bound.  
 spuria.  
 Staphylocodendron Virginianum, Virgi-  
 nian Bladernut.  
 Stæbe Salamantica Clusii, Clusius's Spa-  
 nish silver Knapweed.  
 Stæchas, Cassidony or French Lavender.  
 Stellata aquatica, Water-Starmort.  
 Stra-  
 monia flore albo, white Thorne-Apple.  
 Syringa flore purpur: purple Thorn-Apple.  
 Italica flore albo simplici &  
 mult: single and double Pipe-  
 tree.  
 Arabium flore cæruleo, blem  
 Pipe-tree of Arabia.

## T.

- Tabacum, Tobacco.  
 Tamariscus Italica, Italian Tamarisk.  
 vulgaris, ordinary Tamarisk.  
 crispum Anglicū, English crised  
 Tansey.  
 Tanacetum vulgare, common Tansey.  
 variegatū, party coloured Tansey.  
 Linodorum, unsavory Tansey.  
 Tapsia

Tapsia latifolia.

Tapsus barbatus, sc: Verbascum, Mullein.

Hag-taper.

Taxus, Yew-tree.

{ vulgare, common Orpin, Live-

Tele- } long.

phium } majus, great Orpin.

minus, small Orpin.

Terebinthus vera, the Turpentine tree.

Tenerium arborescens.

{ sc: Thaleitrum Aug: bastard

Thalictrum } Rhubarb, Meadow Rue.

Virginianum.

{ Neronis Carotef: Lob: large tuf-

Thlaspi } ted Mustard.

umbellatum, tufted Mustard.

Thy- } durius, common Tyme.

mum } moscharum, muske Tyme.

Tilia } mas, male Line tree.

foemina, female Line tree.

Tithymalus } Charachias, wood Spurge.

helioscopus, sun Spurge.

Tithymalorum diversæ species, divers

other sorts of Spurges.

Tomentilla, Tormentill.

{ Americanum flore rubro, seu

Trache- } planta Cardinalis, the rich

lium } crimson Cardinall flower.

majus flo:albo multiplici, great

double White Canterbury Bells.

Tra-

	majus flore albo simplici great single white Canterbury Bells.
Trachelium	ma: flore violaceo simplici great single violet-coloured Canterbury Bells.
	ma: flore violaceo multipl: great double violet-coloured Canterbury Bells.
	Gygantinū, Gyants Throat-wort.
	minus, small Throatwort.
	cæruleum flo: pleno, double blew Canterbury Bells.
Tragacantha, Goates Thorne.	
Tragapo-	flore luteo, yellow Goats beard.
gon	flore purpureo, purple Goats beard.
	flo: cæruleo, blew Goats beard.
Tragopyron, Buck Wheat.	
Trichomanes, vide Capillus Veneris.	
	fragiferum, strawberry Trefoile.
	pratense flo: rubro, purple.
	odoratum, sweet Trefoile.
Trifolium	flore albo, white-flowered Trefoile.
	cardatum, heart Trefoile.
	Lagapogon, Haresfoot.
	aquaticum, marsh-Trefoile, or Bucks beanies.

{ lupulinum, hop-Trefoyle.

{ Acetosum, sc: Iujula, Wood-  
Trifolium Sorrell.

{ stellatum glabrum, smooth  
{ starry-leaved Trefoyle.

Tripolium, Sea Starwort.

{ sive filigo spica mutica, white  
Wheat.

Triticum aristis circumvallatum, red  
Wheat.

{ spica multiplici.

Tubera Indica folia gladioli facie, Morin.

Tuliparum elegant: maxima diversitas,  
great variety of gallant Tulips,

{ Admirall of England.

Admirall de Man.

Anvers.

Agat Robin.

Beswick.

Carpenter.

Cipio.

Donquer Voilque.

Generall Duke.

Generall Holland.

Generall Branchion.

Generall Conde.

Iris Daley.

Luis Portugall.

Morillion d'Alger.

Matre Harlas.

*Tulips.*

Moulswicke.

Nonsuites.

Palto de Layden.

Pas Cittadell.

Paragon vas Vileson?

Paragon Lifkins:

Pas bell Leon.

Pas O denard.

Pintres.

Satine.

Superiomen.

Tricolor crownes.

Viceroy.

Zebulom.

*Turritis major, Towers Mustard.**Tussilago, Coltsfoot.**Typha palustris, Catts-taile, Reedmasse.**vera, seu Phu majus, great water Valerian.**vera, sc: Phu minus, small water Valerian.**Græca, flore cæruleo, blue Greek Valerian.**Græca, flore albo, white Greek Valerian.**hortensis, garden-Valerian.**Val-**Valeriana*

	annua Indica, annual Indian Valerian.
Valeriana	Dodonæi.
	sylvestris minor, small wilde Valerian.
	salvifoliū, sage-leaved Mul- lein.
	blattariæ folio.
Verbascum	album vulgare, Tapsus bar- batus communis, common Mullein.
	nigrum, black Mullein.
Verbena communis	common Vervaine.
	mas repens, creeping male Speedwell.
Veronica	fœm: Elatine, female Fluellin.
	recta spicata, upright Speed- well.
Viburnum	Wayfaring tree, Cotton tree.
Vicia vulgaris	common Vetch or Fitch.
	major, great Peri-
Vinca pervinca	winckle.
	minor, small Peri- winckle.
	Matronalis flo: albo simpl: single white Dames Violet.
Viola	Matron: flore albo pleno, double white Dames Violet.
	Matron: flore purpureo simplici, single purple Dames Violet.
	Viola

- Tricolor, sc: *Deapensia repens*  
*flo: luteo ampliss: great yellow*  
*Pansies or Hearts Ease.*
- Tricolor assurgens *Versicolor.*  
 Pentigonia sc: *speculum Vene-*  
*ris.*
- Viola {  
*Martia flore pleno, cæruleo,*  
*double blem Violet.*
- Martia flore cæruleo simpl:*  
*single blem Violet.*
- Mar: simplici albo, white single*  
*Violet.*
- Mar: flo: pleno cineritio.*
- Mar: flo: simpl: rubro, red single*  
*Violet.*
- inodora, sc: canina, field Vic-*  
*let.*
- flore luteo, yellow Violet.*
- Laquat: sc: Millefol: aquat:*  
*Viorna vulgi, Travellers Joy.*
- Canadensis,*  
*Virga } serratis foliis, golden Rod with*  
*aurea } dented leaves.*
- vulgaris, ordinary golden Rod.*
- Virga pastoris, vide Dipsacus minor.*
- Vitedera Virginiana, vide Hedera Vir-*  
*giniana.*
- Perigrina Clusii, Clusius his*  
*Ulma- } strange Meadesweet.*
- ria } sc: Regina prati, common Meade-*  
*sweet.*

Umbilicus	verus, Navellwort, Kidney-wort.
Veneris—	Hispanicus, Spanish Navell-wort.
	fructu albo.
	foliis laciniatis, Parsley.
vinifera	Vine.
	sylvestris Virginia, Virginia wilde Vine.
	variegata, party-coloured Grapes.
Vitis	vulpina Virginiana, Fox-Grape from Virginia.
	alba, white Grape.
	cærulea, blue Grape.
	Rhenensis, Rhenish Grape.
	Amber Grape.
	Burlett white and red.
	Currant Grape.
	Muskadell Grape.
	Frontignack or Musk-grape, White and red.
	Black Grape of Orleans.
	urens major, great wilde Nettle.
	urens minor, small wilde Nettle.
Urtica	Iners, lamium, dead Nettle.
	Romana, Roman Nettle.
	ma: Americana, great American Nettle.

## X.

Xyris sive spotula foetida, stinking Glac  
don.

Xanthium, vide Bardana minor.

---

Principal



# Principall Benefactors to the precedent Collection.

{ King Charles.

{ Queen Mary.

George Duke of Buckingham.

Lady Katharine Dutches of Buck:

William Land Archbishop of Cant:

Robert Earle of Salisbury.

William Earle of Salisbury.

Earle of Carlisle.

Lord Viscount Dorchester.

Lord Viscount Faulkland.

Lord Strange.

Lord Goring.

Lord Cambden.

Countesse of Arundell.]

Lady Matrevers.

Lady Denbeigh.

Lady Wootton.

# BENEFACTORS.

Lady Mary Villers.  
Lady Goring.  
Lady Killegray.  
Lady Christian Leviston.  
Sir Thomas Roe.  
Sir Christopher Hatton.  
Sir Henry VVooton.  
Sir Kenelme Digby.  
Sir Nathanael Bacon.  
Sir Butts Bacon.  
Sir Dudly Diggs.  
Sir Henry Vane.  
Sir Henry Palmer.  
Sir Robert Heath.  
Sir Peter Manwood.  
Sir John Trever.  
Sir William Boswell.  
Sir Clipsby Crew.  
Sir Alexander Gourdon.  
Sir James Bagg.  
Sir David Kirke.  
Sir Richard Wiseman.  
Sir John Smith.  
Sir John Wieldes.  
Sir Henry Meldree.

Sir

# BENEFACTORS.

Sir John Aemooote.

Lady Roe.

Lady Graimes.

Doctor Owin.

Doctor John Hill.

Doctor Thomas Wharton.

Doctor William Broad.

Doctor Bugg.

William Murray Esq.

William Curteene Esq.

Elias Ashmole Esq.

Captain Weddell.

Captain Plumbey.

Captain Ireland.

Captain Cleborne.

Captain Prim.

Captain Wood.

Captain West.

Captain Swanley.

Captain Adam Denton.

Captain Trenchfield.

Captain David Atchinson.

Mr. Nicolas, Secretary to the Navy.

Mr. John Slany Merchant.

Mr. Charlton Merchant.

# BENEFACTORS.

- Mr. James Boovy Merchant.  
Mr. John Millen.  
Mr. Thomas Howard.  
Mr. White of Burntwood.  
Mr. Ofield.  
Mr. Ofley.  
Mr. Greene.  
Mr. Munke.  
Mr. Sadler.  
Mr. Bushell.  
Mr. Liggon.  
Mr. George Tomasin.  
Mr. Dells.  
Mr. Gage.  
Mr. Pergins.  
Mr. Robert Martyn.  
Mr. Trion.  
Mr. Woolfe.  
Mr. Browne.  
Mr. Martin Masters.  
Mr. Butler.  
Mr. Phillips.  
Mr. Harison.  
Mr. Pette.  
Mr. Short.


Mr.


# BENEFACTORS.

Mr. Bound.  
Mr. Stone.  
Mr. Bartholomew Hagatt.  
Mr. Reeve.  
Mr. Francis Cline.  
Mr. Thomas Herbert.  
Mr. Rowland Bucket.  
Mr. Snelling.  
Mr. Rowe.  
Mr. Smith.  
Mr. Butterworth.  
Mr. le Goulz.  
Mr. William Martyn.  
Mr. Lanyon.  
Mr. Gaffer Calthoofe.  
Mr. William Lambert.  
Mr. John Benson.


FINIS.

LINIS









A X 93

7 A 45

